

Table of Contents

About SpeedType	12
SpeedType "The Extreme Word Expander"	12
Version 10	
Trademarks	12
What's New	13
Ordering and Licensing Information	14
Warranty and License Agreement.....	15
Distribution of Copyrighted Material Prohibited	15
Licensed Version of SpeedType.....	15
Licensing and Registration.....	17
Licensing Fees.....	18
Order Forms	19
SpeedType 10.x Upgrade Order Form.....	20
Tutorial and Demos	21
Quick Tutorial	22
Start SpeedType	22
Access SpeedType's Main Window	22
Open a SpeedType Dictionary	22
Add a New Keyword and Text to the Dictionary	22
Run SpeedType in the Background	22
Start Your Word Processor Program	22
Don't Touch That Mouse!.....	22
Using SpeedType with the Hot Key	22
Using SpeedType's AutoReplace Function	23
Using SpeedType's AutoComplete Function	23
Using Alt+Ins to Add New Words	23
Using Ctrl+Ins to Add a Block of Text	23
That's It!	23
Demo: Using SpeedType	24
Demo: Using SpeedType Tags	27
Input Tags	27
Keyboard Simulation	27
Date/Time.....	27
Advanced Pick Lists.....	27
Demo: Using SpeedType to Correct Spelling Errors	29
Demo: Using SpeedType with Borland Delphi	30
How to Use PASCAL.SPF	30
Other Keywords.....	31
Special SpeedType Keys.....	31
Demo: Using the @INPUTTCL Tag.....	32

Basic Topics 33

Getting Started 34

Introduction 35

Background	35
Specifications	35
System Requirements	35
How SpeedType Works	35
Using SpeedType for the First Time	35
Terminology	36
Keyword	36
Text to Type	36
Dictionary	36
Hot Key	36
File Shortcut	36
Keyword Shortcut	36
Registration ID	36
ST10.LIC License File	36
Starting SpeedType	38
The Main Window	39
The Main Menu	39
File Menu	39
Dictionary Menu	39
Shortcut Menu	39
Help Menu	39
The Keyword Panel	39
Keyword Box	39
AutoReplace Box	39
Text To Type Box	39
Type It Button	40
Hide Button	40
The Dictionary Panel	40
Speed Buttons	40
Dictionary List Box	40
Dictionary File Tabs	40
Managing Dictionaries	41
Opening a Dictionary	42
Adding New Entries to the Dictionary	43
Duplicating an Entry	44
Changing a Dictionary Entry	45
Removing a Dictionary Entry	46
How to Remove a Single Entry from the Dictionary	46
How to Remove a Block of Entries from the Dictionary	46
Moving Entries to Another Dictionary	47
Using SpeedType	48
Word Expansion As You Type	49
Running SpeedType in the Background	50
Aborting Playback	51

Backing Up Your Dictionaries.....	52
Manual Backups.....	52
Automatic Backup Files.....	52
Statistics Box	53
Reset Button	53
Speed Test Button.....	53
Inserting Text from the Main Window	54
Accessing SpeedType	55
Specifying the Text To Type	56
Modifying the Text To Type	57
Typing Text Into Your Word Processor	58
Advanced Topics	59
Tags.....	60
Date/Time Tags	60
Keyboard Tags.....	60
User Input Tags	60
Miscellaneous Tags	60
AutoReplace	62
How AutoReplace Works.....	62
Adding Words to the Dictionary.....	62
Preventing Keyword Replacement.....	62
AutoReplace Key Groups.....	62
ALPHANUMERIC CHARACTERS	62
SEPARATOR CHARACTERS.....	62
TERMINATOR CHARACTERS.....	62
CONTROL CHARACTERS	63
SPECIAL CHARACTERS	63
Keyword Identifiers	63
SEPARATOR Characters in Keywords.....	63
Defining Keywords for Prefixes and Suffixes.....	64
Automatic Keyword Completion	65
AutoReplace Suggestion Window	66
Popup Menu	66
Bring Up Main Window.....	66
Hide Temporarily	66
3 Columns/1 Column	66
Preferences	66
About	66
Example	66
Linking Dictionaries	68
Linking Rules	68
Example.....	68
Protecting Your Dictionaries.....	70
License ID	70
3 Lines	70
How to Simulate Underlined or Bold Text.....	71
Inserting ASCII Codes.....	72

Effect of Keyboard Activity during Playback	73
Esc Key	73
Shift, Ctrl, Alt Keys.....	73
Caps Lock	73
Num Lock, Scroll Lock, Print Screen, Pause/Break Keys	73
Alt+Tab, Windows Keys	73
Using SpeedType on a Network	74
Installing SpeedType	74
SpeedType Dictionary Files	74
SpeedType Configuration Files	74
How to Prevent Certain Characters from Expanding Keywords	76
Tcl Scripts.....	77
Tcl Extension Commands	78
Tcl Extension Commands.....	79
Run Tcl Command	80
Syntax.....	80
Description.....	80
sh_file Tcl Command	81
Syntax.....	81
Description.....	81
sh_input Tcl Command.....	82
Syntax.....	82
Description.....	82
sh_list Tcl Command	84
Syntax.....	84
Description.....	84
sh_screen Tcl Command	86
Syntax.....	86
Description.....	86
sh_set Tcl Command	89
Syntax.....	89
Description.....	89
sh_window Tcl Command	92
Syntax.....	92
Description.....	92
Reference	94
Shortcut Keys.....	95
Hot Key	96
Shortcut Key Codes	97
Notes.....	98
Keycode Examples:	98
Tags.....	99
Tag Syntax	100
@DELETELINE Tag.....	101
Syntax.....	101
Description.....	101

Example.....	101
@INPUT Tag.....	102
Syntax.....	102
Description.....	102
Advanced options	102
Example.....	102
See Also	102
@INPUT Tag With Pick Lists.....	103
Syntax.....	103
Description.....	103
Advanced options	103
Examples	104
Color Group 1.....	105
Color Group 2.....	105
@INPUTDATE Tag	106
Syntax.....	106
Description.....	106
Advanced options	106
Examples	106
@INPUTFILE Tag.....	107
Syntax.....	107
Description.....	107
Examples	107
See Also	107
@INPUTMSG	108
Syntax.....	108
Description.....	108
Example.....	108
@INPUTTCL Tag	109
Syntax.....	109
Description.....	109
Examples	109
@KEY Tag	111
Syntax.....	111
Description.....	111
Example.....	111
@KEYDOWN, @KEYUP Tags	112
Syntax.....	112
Description.....	112
Examples	112
See Also	112
@LEFTBRACE, @RIGHTBRACE Tags	113
Syntax.....	113
Description.....	113
Example.....	113
@LONGDATE Tag	114
Syntax.....	114
Description.....	114

Example.....	114
See Also.....	114
@LONGTIME Tag	115
Syntax.....	115
Description.....	115
Example.....	115
See Also.....	115
@NOSPACE Tag.....	116
Syntax.....	116
Description.....	116
Example.....	116
@PAUSE Tag	117
Syntax.....	117
Description.....	117
Examples	117
@REM Tag.....	118
Syntax.....	118
Description.....	118
Example.....	118
@SHORTDATE Tag	119
Syntax.....	119
Description.....	119
Example.....	119
See Also.....	119
@SHORTTIME Tag.....	120
Syntax.....	120
Description.....	120
Example.....	120
See Also.....	120
Frequently Asked Questions	121
Questions on Specifications	122
How many dictionary entries can SpeedType support?	122
What is the maximum number of characters that can be associated with a keyword?.....	122
Questions on SpeedType in General	123
What is SpeedType?.....	123
How does SpeedType work?.....	123
What's the difference between SpeedType and my word processor's macros?.....	123
Can SpeedType really work with almost all Windows GUI applications?.....	123
Will SpeedType work with Windows 2000 and earlier?	123
Does SpeedType work with DOS programs?	123
So what applications are noncompatible with SpeedType?.....	124
Questions on Running SpeedType.....	125
Is it possible to run SpeedType automatically whenever I start Windows?	125
SpeedType doesn't work correctly with some of my applications!.....	125

After SpeedType inserts the text, the text caret is positioned at the wrong place in the word processor!	125
How do I change the date/time formats used by the LONGDATE, SHORTDATE, LONGTIME and SHORTTIME tags?	125
How do I get rid of the message that asks for confirmation whenever SpeedType exits?	125
How can I stop SpeedType after it has started inserting text?	125
Questions on Inserting Text with SpeedType.....	126
How does SpeedType's AutoReplace function work?	126
How do I simulate bold or underline fonts with SpeedType?	126
How do I tell SpeedType to automatically insert the closing parenthesis whenever I type the opening parenthesis?	126
How can I define prefixes and suffixes?	126
Do I have to memorize keywords to use SpeedType effectively?	126
SpeedType doesn't seem to recognize keywords with embedded punctuation marks such as "don;t".	127
Questions on Managing Dictionaries	129
Can SpeedType use two dictionaries at the same time?	129
How can I convert another file format into the SpeedType file format?	129
How do I print the contents of a dictionary?	129
Is there a way to conveniently add text to my dictionary?	129
How do I copy or transfer a dictionary entry from one dictionary to another dictionary?	129
How do I append the contents of an entire dictionary into another dictionary?	129
How do I prevent others from copying or accessing my dictionary?	129
Questions on Using SpeedType with Microsoft Word	130
I get an extra space when expanding abbreviations in Microsoft Word.	130
Can I use SpeedType together with Microsoft Word's AutoCorrect Wizard?	130
What's the difference between SpeedType and Microsoft Word's AutoCorrect wizard?	130
How can I transfer my MS Word AutoCorrect entries into SpeedType?	130
The Ctrl+Space keystroke doesn't seem to work.	131
Trailing spaces at the end of inserted text are not being transferred.	131
Troubleshooting and Technical Support	132
Technical Support.....	133
Compatibility Issues.....	134
Unresponsive Keyboard	134
Playback Problems	134
Dropped Characters	134
Compatibility With Other Applications.....	134
Security Issues.....	134
Using the Clipboard to Transfer Text.....	134
The Backspace Key	134
Stuck Keys.....	135
Common Problems.....	136

SpeedType does not work at all; it doesn't pop up when I press the hot key and abbreviations are not recognized.	136
SpeedType is able to expand abbreviations but the text is not inserted correctly.	136
When SpeedType plays back text, the first character of the keyword is not erased. Keystrokes or characters are also sometimes lost after SpeedType expands a keyword.	137
I get extra spaces in Microsoft Word.....	137
Playback is extremely slow.	137
SpeedType does not play back all text; some keystrokes are being lost.	137
SpeedType does not work with Microsoft Word.....	138
SpeedType does not expand keywords all the time in spreadsheets such as Microsoft Excel.....	138
The keyboard does not respond to keystrokes.	138
A GPF occurs when SpeedType inserts text.....	138
A GPF occurs after opening a large dictionary or adding/editing a keyword.	138
Trailing spaces at the end of inserted text are not being transferred..	138
SpeedType and Medrite	139
SpeedType and Citrix.....	140
SpeedType and Windows Server.....	141
SpeedType 10.x Order Form	142
Editing the Dictionary	143
Dictionary Text Dialog Box	144
Keyword Box	144
Shortcut Button	144
Text To Type Box.....	144
Word Wrap	144
If checked, long lines in the Text To Box will wrap over to the next line.	144
Description Box.....	145
Record Button	145
Select Shortcut Key Dialog Box	146
Ctrl, Alt, Shift Boxes	146
Next Key Typed Button	146
Clear Button	146
Notes:	146
Preferences Dialog Box	147
Operation Preferences	148
Hot Key Button.....	148
Paste Key Button.....	148
Pause.....	148
Verify Target Window Receives Keystroke	148
Beep When Hot Key Pressed	148

Beep When Typing Empty Text String	148
Beep After Text Transferred	148
Simulate Clipboard Paste	148
Simulate Keystrokes	149
Display Preferences	150
Editor Font Button	150
Main Window Color Button	150
Dictionary List Font Button	150
Dictionary List Keyword Color Button	150
Suggestion Window Font Button	150
Suggestion Window Color Button	150
AutoSave	150
Do Not Confirm Exit	150
Hide on Start Up	150
File Shortcuts Preferences	151
AutoReplace Preferences	152
AutoReplace Options	152
Enable AutoReplace	152
Enable Automatic Keyword Completion	152
Beep on Keyword	152
Use Shift+Enter to expand keyword immediately	152
Use Ctrl+Space to insert a space without expanding keyword	152
Use Alt+Ins to add current word to dictionary	152
Remember Last Expanded Word	152
Support On-Screen Keyboards	153
AutoReplace Suggestion Window	153
Show Hint Window Only If Keyword Detected	153
Show Suggestion Window	153
Links Preferences	154
File Shortcut Dialog Box	155
Dictionary or Program Name Box	155
Shortcut Button	155
Description Box	155
Text To Type Dialog Box	156
Type It Button	156
Print Button	156
Undo Button	156
Restart Button	156
Cancel Button	156
Notes:	156
Text To Type Preview	157
Save Session	157
Restore Session	157

Customizing How Sessions are Save/Restored	157
Example.....	157
Pick List Input Dialog Box	160
Incremental Search Box	160
Columns Box	160
Select All Button.....	160
Clear Button	160
Next Button.....	160
Back Button.....	160
Restart Button.....	160
Preview Button	160
Cancel Button.....	160
Date Input Dialog Box	161
Date Box.....	161
Select Date Style	161
Next Button.....	161
Back Button.....	161
Restart Button.....	161
Preview Button	161
Cancel Button.....	161
Free Form Input Dialog Box	162
Next Button.....	162
Back Button.....	162
Restart Button.....	162
Preview Button	162
Cancel Button.....	162
Dictionary Info Box	163
Tcl Script Dialog Box	164
Tcl Script Box.....	164
Eval Script Button.....	164
SpeedType Web Site	165
Define @INPUT Tag Dialog Box	166
Prompt Box	166
Variable Name Box.....	166
Optional Pick List Box.....	166
Allow Multiple Selections Check Box.....	166

AutoReplace Hint Window	167
SHCNV - SpeedType File Converter Utility	168
Remove (Cut) Command	169
Left Click	170
Shift+Left Click	171
Alt+Ins Options	173
Keyword Prefix box	173
Keyword Suffix box	173
Suggestion Window Options	174
Suggestion Shortcut	174

About SpeedType

SpeedType "The Extreme Word Expander"

Version 10

The Speedtype Software and Documentation are copyrighted software and unauthorized duplication is prohibited.

Copyright © 1994-2020 SPEEDTYPE Apopka, FL
All Rights Reserved.

SpeedType is distirbuted by:

SpeedType <http://www.speedtype.com>
2024 Majestic Woods Blvd.
Apopka, FL 32712
Tel # 925-940-9545
Email: help@speedtype.com

Technical Support

For sales or technical assistance, please contact your authorized SpeedType representative directly. Your authorized SpeedType representative is displayed in SpeedType's About box (select About from SpeedType's Help menu).

Trademarks

SpeedType "The Extreme Word Expander" is a trademark of SpeedType.

Microsoft, Windows, Windows 2000, Windows XP, Windows Vista and Windows Server are registered trademarks of Microsoft Corp.

PRD+ is a trademark of Productivity Software. International, Inc.

What's New

If you are upgrading from a previous version of SpeedType, please read the ST10WHATSNEW.TXT file for a description of new features.

Ordering and Licensing Information

Go to www.speedtype.com and click on the Order Software option which will take you into the shopping cart area. Choose your item/items and follow the prompts to use your credit card for purchasing. We honor VISA, Mastercard, American Express, Discover.

Warranty and License Agreement

IMPORTANT: CAREFULLY READ ALL THE TERMS AND CONDITIONS OF THIS AGREEMENT BEFORE USING THIS PROGRAM. USING THIS PROGRAM INDICATES YOUR ACCEPTANCE OF THE TERMS AND CONDITIONS CONTAINED IN THIS AGREEMENT.

Copyright

SpeedType 10.x for Windows (the "SOFTWARE") is written and copyrighted © 1994-2020 and distributed by SPEEDTYPE (Apopka, FL; web site: <http://www.speedtype.com>). The SOFTWARE is copyrighted material and protected by United States laws and international treaties. All violators of the copyright will be prosecuted to the full extent of the law. You agree to use the SOFTWARE only if you had obtained the SOFTWARE from SPEEDTYPE or its authorized distributors or representatives. IT IS A VIOLATION OF COPYRIGHT LAWS IF YOU OBTAIN THE SOFTWARE FROM ANYONE OTHER THAN SPEEDTYPE OR ONE OF ITS DULY AUTHORIZED DISTRIBUTORS OR REPRESENTATIVES.

Copyright for the Tcl.DLL file is covered separately; the copyright notice can be found in the TclReadme.txt file.

Distribution of Copyrighted Material Prohibited

You may not distribute the SOFTWARE or any part thereof including the Registration ID and ST10.LIC files through any means without the express written permission of SPEEDTYPE. Registration ID's (including temporary licenses) and ST10.LIC files are copyrighted material and may not be posted publicly such as on the Internet. Word lists that you create are your own property and you may do what you like with any word lists you create.

Trial License

After you purchase a copy of the SOFTWARE, you have a Temporary License to install and use a copy of the SOFTWARE on any computer for a period of fifteen (15) days. YOU MUST REGISTER TO RECEIVE YOUR PERMANENT LICENSE. When you register you indicate that you have thoroughly evaluated and tested SpeedType and found it to be acceptable for your particular purposes and will not ask for a refund in the future.

Licensed Version of SpeedType

THE SPEEDTYPE SOFTWARE CANNOT WORK WITHOUT A VALID LICENSE. TO BE PROPERLY LICENSED YOUR NAME OR COMPANY NAME MUST APPEAR IN SPEEDTYPE'S ABOUT BOX. IF YOUR NAME OR COMPANY NAME DOES NOT APPEAR IN SPEEDTYPE'S ABOUT BOX, YOU ARE NOT PROPERLY LICENSED AND MAY BE USING AN ILLEGAL COPY OF THE SOFTWARE.

BY PURCHASING AND USING A LICENSE YOU INDICATE THAT YOU HAVE THOROUGHLY EVALUATED AND TESTED SPEEDTYPE AND FOUND IT TO BE ACCEPTABLE FOR YOUR PARTICULAR PURPOSES.

A *Single User* or 1-User License gives you one Licensed Copy of SpeedType which may either be used by a single person on one or more computers, or installed on a single workstation used nonsimultaneously by multiple people, but not both.

A *Site License* grants a single company the non-exclusive right to distribute up to a specified number of Licensed Copies of SpeedType for use within that company only. You may install SpeedType on a network provided that you have purchased a Licensed Copy for each workstation that is connected to the network. Licensed Copies of SpeedType may not be used by persons not employed with the company that purchased the site license.

A *PC License* grants you one Licensed Copy of SpeedType which may be used only on a single computer and cannot be shared, transferred to or used on another computer.

Transfer

The Single User License, Site License, Registration ID's and ST10.LIC License Files are non-transferable to other persons or companies; only the person or company named in the License can use the SOFTWARE with said License.

Term

This license is effective until terminated. You may at any time terminate this Agreement by destroying the SOFTWARE and all copies thereof. SPEEDTYPE also reserves the right to terminate this Agreement if you fail to comply with any of the terms and conditions herein. Should SPEEDTYPE terminate this Agreement because of your failure to comply, you agree to destroy or return all copies of the SOFTWARE to SPEEDTYPE or its authorized representative.

Warranty

The SOFTWARE is provided "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR ANY PARTICULAR PURPOSE. SOME STATES DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO THE ABOVE EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE. Because of the diversity of hardware and software which the SOFTWARE may be used, SPEEDTYPE does not warrant that the SOFTWARE will meet your needs or that the operation of the SOFTWARE will be uninterrupted or error free. IN NO EVENT WILL SPEEDTYPE BE LIABLE TO YOU FOR ANY DAMAGES, INCLUDING ANY LOST PROFITS, LOST SAVINGS, OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE SOFTWARE. In no event will SPEEDTYPE be held liable for the loss or corruption of data caused by the SOFTWARE. In no event will SPEEDTYPE'S liability exceed the purchase price of the SOFTWARE.

SOME STATES DO NOT ALLOW THE LIMITATION OF EXCLUSION OF LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Government

This Agreement shall be governed and enforced by the laws of the State of California. Any action or proceeding brought by either party against the other arising out of or related to this Agreement shall be brought only in a STATE or FEDERAL COURT of competent jurisdiction located in California. The parties hereby consent to in personam jurisdiction of said courts.

Licensing and Registration

The SpeedType application is protected by a software time lock. When you first install SpeedType, you will be given a Temporary License to use the product. **You must register within 15 days to receive a License.** After the Temporary License expires, SpeedType will display reminder notices; **SpeedType may stop working unless you install a valid license.**

Licensing Fees

Please visit the SpeedType Web Site for the latest prices at www.speedtype.com.

Order Forms

Order forms and instructions are available from the SpeedType website. Please go to www.speedtype.com.

SpeedType 10.x Upgrade Order Form

Licensed Users of SpeedType 9.x or earlier may purchase SpeedType 10.x at a discount. Order forms and instructions are available from the SpeedType Web Site. Go to www.speedtype.com and click on the Order Software option which will take you into the shopping cart. Choose the SpeedType 10 Upgrade option.

Tutorial and Demos

Quick Tutorial

It is recommended that you run this quick tutorial to familiarize yourself with SpeedType.

Start SpeedType

Run the SpeedType application (the filename is "ST10.EXE") by double-clicking the SpeedType icon in the SpeedType folder or program group. If you are not licensed, the About box appears showing the number of days remaining in your evaluation period. Click the OK button to close the About box. SpeedType minimizes itself with its icon in the Windows System Tray (normally found on the bottom right corner of your computer screen.)

Access SpeedType's Main Window

Press the F10 function key. SpeedType should pop up. Alternatively, you can use your mouse to click on the SpeedType icon in the Windows System Tray.

Open a SpeedType Dictionary

SpeedType keeps its word lists in a "dictionary." SpeedType dictionary files have the extension ".SPF".

Open the DEMO1.SPF dictionary by choosing Open from SpeedType's File menu.

Add a New Keyword and Text to the Dictionary

1. From the Dictionary menu, choose "Add..." to bring up the Dictionary Text dialog box.
2. Enter "FX" in the Keyword box.
3. Enter "The quick brown fox jumped over the lazy dog." in the Text to Type box.
4. Click the OK button to save the new entry. The new entry should appear in the Dictionary list box.

Run SpeedType in the Background

Run SpeedType in the background by clicking on the Hide button. SpeedType is now watching your keystrokes and ready for use.

Start Your Word Processor Program

For this tutorial we will use the Windows Notepad program as our word processor. If it isn't already running, run Windows Notepad.

Don't Touch That Mouse!

For the rest of this tutorial, we won't be needing the mouse. For the benefit of touch typists, SpeedType can be used without a mouse. Please put your mouse aside and don't touch it until the tutorial is completed.

Using SpeedType with the Hot Key

1. Type the following text into Notepad: "TEST:"
2. Press the F10 function key. SpeedType should pop up with the text caret blinking in the Keyword box.

3. Type "fx" in the SpeedType's Keyword box but don't hit the ENTER key yet!. Note that the phrase "The quick brown fox jumped over the lazy dog." automatically appears in the Text to Type box.
4. Now press the ENTER key and watch SpeedType type the long phrase for you.

Using SpeedType's AutoReplace Function

1. Type the following text into Notepad: "fx" (all lowercase). Note that the AutoReplace Window pops up either above or below Notepad.
2. Press the SPACE bar. SpeedType should replace "fx" with the phrase "The quick brown fox jumped over the lazy dog."

Using SpeedType's AutoComplete Function

1. Type the following text into Notepad: "f,," ("f" followed by two commas). Note that the AutoReplace Window pops up either above or below Notepad.
2. Press the SPACE bar. SpeedType should replace "f,," with the closest keyword that begins with the letter "f".

Using Alt+Ins to Add New Words

1. Type the following text into Notepad: "hello".
2. Press the Alt+Ins key combination. SpeedType should pop up and display the Dictionary Text (Add) dialog box with the word "hello" as both the keyword and Text to Type. Press OK to close the dialog box and add the word to your dictionary.

Note: Alt+Ins works only if AutoReplace is enabled and the Alt+Ins box is checked in the Preferences.

Using Ctrl+Ins to Add a Block of Text

1. Use your mouse to highlight (select) a block of text in Notepad.
2. While holding down the Ctrl key, press the Insert key twice. The selected text will be copied to the clipboard and SpeedType should pop up and display the Dictionary Text (Add) dialog box containing the contents of the clipboard.
3. Press OK to close the dialog box and add the block of text to your dictionary.

Note: Ctrl+Ins works only if AutoReplace is enabled and your word processor uses the standard Ctrl+Ins command to copy text to the clipboard.

That's It!

Congratulations! You now know how to use the basic features of SpeedType! Click the >> button at the top of this window to proceed to a more advanced demonstration. If you have problems please consult the Frequently Asked Questions section and the Troubleshooting section in this help file. If you need help on using this help file please press F1.

Demo: Using SpeedType

The DEMO1.SPF dictionary included with the SpeedType distribution files demonstrates SpeedType's AutoReplace and AutoComplete functions. DEMO1.SPF contains keywords representing each word in the sentence "The quick brown fox jumped over the lazy dog." For this demonstration to work, the "Automatic Keyword Completion" option must be selected in the Preferences box and the AutoReplace box in SpeedType's main window must also be selected.

Warning: DEMO1.SPF will be overwritten if you reinstall SpeedType. If you modify DEMO1.SPF, be sure to save it under a different name by choosing **Save As** from SpeedType's File menu.

To run the demo:

1. Open DEMO1.SPF by choosing Open from SpeedType's File menu.
2. Make sure that the AutoReplace box (above the Keyword box in the Main Window) is checked.
3. Open Notepad.
4. Type this in Notepad:

T <Space>

SpeedType should expand this to "The ".

5. Now try to type this:

jump.. <Space>

SpeedType will expand this to "jumped". This illustrates how you can define keywords for suffixes by using a non-alphanumeric character as the first character of the keyword. In this case we use the keyword ".." (two periods) to represent "ed".

6. Type this in Notepad:

s;man <Space>

SpeedType expands this to "superman". This illustrates how you can define keywords for prefixes by using a non-alphanumeric character as the last character of the keyword. In this example, the "s;" keyword in DEMO1.SPF is used to represent the prefix "super".

7. Keywords shorten the number of characters you need to type but require you to memorize the keywords to use them effectively. To solve this problem, SpeedType has an "AutoComplete" feature that automatically matches the current word to the nearest keyword whenever you type two or more commas. Try typing the following four characters ("q" followed by two commas and a space) in Notepad:

q,, <Space>

SpeedType expands this to "quick" which is text of the first keyword in the DEMO1.SPF dictionary that begins with the letter "q". Now try this:

q,,, <Space>

SpeedType expands this to "quiet" which is the text of the second keyword in DEMO1.SPF that begins with "q". If you type four commas after the "q", SpeedType will find the third keyword that begins with "q" and so on.

Note that "q,,", "qu,,", "qui,,", and "quick,," will all be replaced by "quick" in this example.

If you look at DEMO1.SPF you may notice that we defined the text "quick" to be represented by the keyword "**quick .**". You may wonder why there is an extra space and period at the end of the keyword. The reason is that AutoReplace does not recognize keywords that contain spaces; if we had defined the keyword to be simply "quick", SpeedType would insert "quick" whenever we typed "quick". This is obviously redundant so we appended the extra space and period to make the keyword "invisible" to AutoReplace but still accessible through the AutoComplete function.

8. To quickly add words into the dictionary press Alt+Ins immediately after typing the word you want to add. Try typing this in Notepad:

quickly <Alt+Ins>

SpeedType will add the word "quickly" to the dictionary.

9. There are times when you want to insert a keyword without expanding it. To do this press Ctrl+Space instead of the Space bar. Ctrl+Space tells SpeedType to insert a space without expanding the keyword. To demonstrate this, type the following line in Notepad:

T <Ctrl+Space>

To expand a keyword without inserting a space, press TAB. This is useful for adding suffixes to end of keywords. To demonstrate this, try typing the following line:

T <tab> refore

Ctrl+Space is a special AutoReplace command. But what if you want to enter the actual Ctrl+Space keystroke? For example, Microsoft Word uses Ctrl+Space to reset the character fonts; since SpeedType intercepts all Ctrl+Space keystrokes MS Word never receives the keystroke so how do we send Ctrl+Space to Microsoft Word? The solution is to remap your keyboard by defining a keyboard shortcut in SpeedType to simulate Ctrl+Space. Press F10 to bring up SpeedType and look at the keyword named "ctrl + space" in DEMO1.SPF which defines Ctrl+Alt+Space as its keyboard shortcut. Whenever you press the Ctrl+Alt+Space key, SpeedType will execute the "ctrl + space" keyword which simulates the Ctrl+Space key. To see this in action, bring up Microsoft Word, and try pressing Ctrl+Space and Ctrl+Alt+Space a few times to see the difference.

Demo: Using SpeedType Tags

The DEMO2.SPF dictionary included with the SpeedType distribution files demonstrates how to use input tags to create dynamic text.

Warning: DEMO2.SPF will be overwritten if you reinstall SpeedType. If you modify DEMO2.SPF, be sure to save it under a different name by choosing **Save As** from SpeedType's File menu.

Open DEMO2.SPF by choosing Open from SpeedType's File menu.

Input Tags

This example demonstrates the different input fields.

To run the Input Example:

1. Open or Activate Notepad.
2. Press F10 to bring up SpeedType's main window.
3. Type "INPUT" <Enter> in the Keyword box.

Note: SpeedType inserts long paragraphs in "spurts". This is because SpeedType inserts a short delay between a specified number of keystrokes to allow Windows to keep up; without the pauses, your application may drop characters. You can change the delay in the Preferences box.

Keyboard Simulation

This example demonstrates SpeedType's ability to simulate most keystrokes with the @KEY tag.

To run the Key Simulation Example:

1. Open or Activate Notepad.
2. Press F10 to bring up SpeedType's main window.
3. Type "MACRO" <Enter> in the keyword box.

Date/Time

This example demonstrates how to use SpeedType to insert the current date or time.

To run the Date/Time Example:

1. Open or Activate Notepad.
2. Press Ctrl+Alt+N in Notepad.
3. Press Ctrl+Alt+D in Notepad.

Advanced Pick Lists

These examples demonstrate advanced pick lists.

To run the Pick List Examples:

1. Open or Activate Notepad.
2. Press F10 to bring up SpeedType's main window.
3. Type "PICKLIST1" <Enter> in the keyword box.
4. Press F10 to bring up SpeedType's main window.
5. Type "PICKLIST2" <Enter> in the keyword box.

6. Press F10 to bring up SpeedType's main window.
7. Type "PICKLIST3" <Enter> in the keyword box.

Demo: Using SpeedType to Correct Spelling Errors

The TYPOS.SPF dictionary included with the SpeedType distribution files contains 500+ corrections to common typographical errors. This dictionary is included for demonstration purposes only and is intended to show how SpeedType can be used to automatically correct common misspelled words.

Warning: TYPOS.SPF will be overwritten if you reinstall SpeedType. If you modify TYPOS.SPF, be sure to save it under a different name by choosing **Save As** from SpeedType's File menu.

To run the demo:

1. Open TYPOS.SPF by choosing Open from SpeedType's File menu.
2. Make sure that the AutoReplace box (above the Keyword box in the Main Window) is checked.
3. Open Notepad.
4. Type this in Notepad:

don;t <Space>

SpeedType will replace this with "don't".

Acknowledgments

Most of the entries in TYPOS.SPF came from a public domain MS Word AutoCorrect file by Ken Deifik. The SHCNV.EXE utility was used to convert the MS Word AutoCorrect entries into a SpeedType file.

Demo: Using SpeedType with Borland Delphi

The PASCAL.SPF dictionary included with the SpeedType distribution files contains keywords representing common words and statements defined in the Borland Delphi (Object Pascal) programming language. The keywords in this dictionary are designed to be used with the Delphi Code Editor.

Warning: PASCAL.SPF will be overwritten if you reinstall SpeedType. If you modify PASCAL.SPF, be sure to save it under a different name by choosing **Save As** from SpeedType's File menu.

How to Use PASCAL.SPF

1. Open PASCAL.SPF by choosing Open from SpeedType's File menu.
2. Make sure that the AutoReplace box in SpeedType's Main Window is checked.
3. Choose Preferences from SpeedType's File menu and make sure that the "Automatic Keyword Completion" option is checked in the AutoReplace tab.
4. Open a Delphi unit file by running Delphi.
5. Type normally in Delphi. SpeedType will expand keywords as you type in Delphi. The keywords in PASCAL.SPF are listed in the table below. You are free to change or add new keywords as you see fit (if you do, remember to save the file under a different name or else your changes may be overwritten if you reinstall SpeedType.)

<u>If You Type</u>	<u>SpeedType Will Insert</u>
{ or (*	the matching } or *)
== or ::	:=
:ac	: array[low..high] of char;
:ai	: array[low..high] of integer;
:al	: array[low..high] of LongInt;
:ar	: array[low..high] of real;
:b	: Boolean
:c	: char
:i	: integer
:l	: LongInt
:r	: real
:s	: string
a,,	Abort
ap,,	Application
b,,	begin end;
br,,	Break
do,,	do begin end;
e,,	Exit
else,,	else begin end;
except,,	except end;
f,,	False
finally,,	finally end;
record,,	record end;
repeat,,	repeat until ;
t,,	True

then,,	then begin end;
try,,	try finally end;
try,,,	try except end;
w,,	while

Other Keywords

PASCAL.SPF also contains numerous Delphi common words (such as "procedure" and "constructor") which are intended for use with SpeedType's Automatic Keyword Completion ("AutoComplete") function. AutoComplete finds the nearest keyword whenever you type two or more commas after a word. For example if you type "**pr,,**", SpeedType will replace this with the first keyword that begins with "pr". If you type "**pr,,,**", SpeedType will replace this with the second keyword that begins with "pr" and so on. As you become more comfortable with SpeedType, you will find yourself typing less and less characters. For example, with the AutoComplete function, "**b,,**", "**be,,**" and "**begin,,**" all refer to the same keyword. For new users, typing "**begin,,**" is easy to remember, but as you gain more experience you will learn to type "**b,,**" instead.

Special SpeedType Keys

- Press TAB after a keyword to expand the keyword without inserting a space.
- Press Ctrl+Space after a keyword to insert a space without expanding the keyword.
- Press Alt+Ins immediately after typing a word to add the word to the dictionary.
- Press Ctrl+Ins twice after selecting a block of text to add the block of text to the dictionary (this works only if you are using the Default Keymapping or Classic IDE Editor setting in Delphi; the Brief and Epsilon emulation settings do not use the Ctrl+Ins command to copy text to the clipboard).

Demo: Using the @INPUTTCL Tag

The DEMO-TCL.SPF dictionary included with the SpeedType distribution files contains examples of SpeedType code that use the @INPUTTCL tag. Some of the examples require advanced knowledge of Tcl programming.

Warning: DEMO-TCL.SPF will be overwritten if you reinstall SpeedType. If you modify DEMO-TCL.SPF, be sure to save it under a different name by choosing **Save As** from SpeedType's File menu.

To run the demo:

1. Open DEMO-TCL.SPF by choosing Open from SpeedType's File menu.
2. Make sure that the AutoReplace box (above the Keyword box in the Main Window) is checked.
3. Open Notepad.
4. Press F10 inside Notepad to bring up SpeedType's Main Window.
5. Select the "age1" entry and press Enter.
6. Repeat steps 4 and 5 for each of the other entries in DEMO-TCL.SPF. For each entry, SpeedType uses the @INPUTMSG tag to display a short description of what each entry does.

Basic Topics

Getting Started

Introduction

Background

SpeedType Ver. 10 is a text/keystroke storage and playback utility designed to work concurrently with most Windows applications that run under Windows XP, Vista and Server 2003. Contact tech support if you need a version of SpeedType that works on older versions of Windows. SpeedType allows you to associate frequently used words, phrases and keystrokes with a much shorter command or keyword. Instead of typing in the word or phrase, you simply type the keyword and let SpeedType insert the associated text directly into the target application. With SpeedType, you can also define shortcut keys (for example, Ctrl+Alt+C) to quickly play back pre-defined text, keyboard macros and launch external programs. SpeedType is not limited to transferring static text, SpeedType supports interactive text and document assembly through embedded input fields and commands (tags) that allow you to dynamically change the text to be transferred.

Specifications

Operating System: Windows XP, Vista and Server 2003..

Contact tech support if you need a version of SpeedType that works on older versions of Windows.

Maximum Number of Entries per Dictionary: Limited only by available resources.

Maximum Number of Dictionaries: Limited only by available resources.

Maximum Number of Characters per Entry: 32,000 characters.

System Requirements

SpeedType is a 32-bit program and uses a minimum of 2 Mb of RAM; at least 32 Mb of installed RAM in your PC is recommended. SpeedType should work fine on any computer that runs Windows XP or later.

How SpeedType Works

You start SpeedType as you would any Windows application and click on the Hide button to run SpeedType in the background. SpeedType will monitor your keystrokes and automatically replace keywords as you type in your word processor.

If you can't remember a keyword or need to access SpeedType, you simply press SpeedType's hot key to bring up SpeedType's main window. You select the text you want SpeedType to type for you by entering a keyword or using the mouse to select the text from a list. If you wish, you may edit the text before SpeedType types it into your word processor.

If you have trouble remembering keywords, SpeedType also has an Automatic Keyword Completion feature that will find the nearest keyword for you.

Using SpeedType for the First Time

SpeedType is designed to be simple to use. It is recommended you walk through the the introductory tutorial to get a feel of how SpeedType works.

Terminology

Keyword

SpeedType uses the term *keyword* to refer to a word that you define to represent a longer word or text. Other programs may use the terms "alias," "short form," "short cut," "macro name" or "abbreviation" to refer to what SpeedType calls a "keyword." SpeedType only recognizes keywords you actually define.

Text to Type

SpeedType uses the term *Text to Type* to refer to the text associated with the keyword. Other programs may use the terms "long form" or "macro" to refer to what SpeedType calls "Text to Type."

Dictionary

SpeedType stores your keyword/Text to Type entries in a *dictionary*. You can create more than one dictionary but only one can be active at any time. Other programs may use the terms "word list," "glossary," or "abbreviation list" to what SpeedType refers to as a "dictionary." SpeedType stores a dictionary in a file with suffix "SPF". Only one dictionary may be active at any time.

Hot Key

The *hot key* is a special keystroke you type from within your word processor to bring up SpeedType. By default, the hot key character is the F10 function key. You can change the hot key character in the Preferences dialog box.

File Shortcut

A *file shortcut* is a special keystroke for launching a file. You define file shortcuts in the Preferences dialog box.

Keyword Shortcut

A *keyword shortcut* is a special keystroke to represent a keyword. You can define a keyword shortcut when you create or edit a dictionary entry.

Registration ID

When you purchase a license, you will be assigned a Registration ID which consists of the following three pieces of information: USER ID, # OF LICENSED USERS, and a LICENSE ID. The User ID is normally based on your name and address. The number of licensed users specify the maximum number of users for a site license. The License ID is a unique code which identifies you in our records. To complete your registration you should click the Register button in SpeedType's About box and enter your Registration ID exactly.

<p>Important: You should print out and keep your Registration ID in a safe place. You may need to reenter your Registration ID if you reinstall SpeedType.</p>

ST10.LIC License File

A License File (named ST10.LIC) contains your Registration ID and saves you the trouble of entering the Registration ID manually. A License File may be given to those who purchase Site

Licenses to make it easier for companies to distribute licensed copies of SpeedType. If you receive a ST10.LIC license file, you should place it in the same directory as the SpeedType (ST10.EXE) program. SpeedType automatically detects the presence of license files whenever you start SpeedType. If you don't have a ST10.LIC License File, one will be created by SpeedType after you enter a valid Registration ID in SpeedType's Registration box. Please note that the ST10.LIC file contains your license and may not be distributed to unlicensed users.

Tip: You can revert SpeedType to an unregistered version by simply deleting the ST10.LIC file from the computer's hard disk. The ST10.LIC file is located in the same directory as the SpeedType program files.

Starting SpeedType

Start SpeedType as you would any Windows applications by choosing it from the Windows Start button or clicking its icon from within the Windows Explorer. SpeedType displays an icon in the Windows system tray while it is running.

Tip #1: If you place the SpeedType icon into the Windows Startup Folder, SpeedType will be automatically executed whenever you start Windows.

Tip #2: SpeedType usually works best if it is loaded last; that is, run SpeedType after you have run all other programs.

The Main Window

The Main Window consists of the Main Menu, Keyword Panel and Dictionary Panel. You can resize the Keyword Panel and Dictionary Panel by dragging the **Separator Bar** that appears between the panels.

The Main Menu

File Menu

Provides functions to create, open and save dictionary files. Also provides functions to change preferences and print the dictionary contents to a file.

Dictionary Menu

Provides functions to add, modify or remove dictionary entries and shortcuts. You can duplicate an existing entry or move one or more dictionary entries from one dictionary to another using the Copy and Paste commands. You can search for text with the Find and Search Again commands. You can also enable/disable links, copy protect the dictionary, and display the Dictionary Info Box from this menu. SpeedType keeps the word lists in memory so any changes to shared word lists are not seen until you use the Refresh command to reload the word list and linked entries from the hard disk.

Shortcut Menu

Displays the file shortcuts you defined in the Preferences box. With file shortcuts, you can open a SpeedType dictionary file or launch an external program with a single keystroke.

Help Menu

Provides help information functions. Use the About Box to register or display information about the program. Use the Statistics box to find out how many keystrokes SpeedType saved you.

The Keyword Panel

Keyword Box

Enter the keyword of a dictionary in this box. You can use the Up and Down Arrow keys to scroll through the keyword list; use the Ctrl+Left Arrow and Ctrl+Right Arrow keys to change dictionaries.

AutoReplace Box

If this box is checked, AutoReplace will be enabled.

Text To Type Box

The text associated with the keyword you entered or selected in the Dictionary list box appears in the Text to Type box. You can edit the text in this box to make temporary changes that will not be saved to the dictionary.

Restore Last: The "Restore Last" command copies the text last expanded by SpeedType. If, for some reason, an expansion was not done correctly you can replay the most recent expansion by

pressing the hot key to bring up SpeedType, right click on the Text to Type box, select "Restore Last" then click the Type It button.

Type It Button

Click this button to command SpeedType to "type" the contents of the Text to Type box into your word processor. The button is disabled if SpeedType was not activated from your word processor.

Tip: Pressing the Enter key is equivalent to clicking the Type It button.
--

Hide Button

Click this button to tell SpeedType to minimize itself and run in the background. When SpeedType is running in the background, it will monitor your keystrokes and expand keywords as you type if AutoReplace is enabled.

Tip: Pressing the Esc key is equivalent to clicking the Hide button.

The Dictionary Panel

Speed Buttons

The speed buttons allow you to conveniently open a dictionary, save a dictionary, add a new entry, edit an existing entry, remove an entry, enable links and access the Preferences box. Moving your mouse over a button will display a hint on what the button does.

Dictionary List Box

Displays keywords, shortcuts and their associated text of the active dictionary. You can toggle the display of the shortcuts by choosing Show Shortcuts from the Dictionary menu. You can access the Dictionary menu by clicking the right mouse button inside the Dictionary List. You can resize the columns by dragging the column separator line in the title row. The color of the characters in the keyword column may be changed in the Display page of the Preferences box.

Dictionary File Tabs

Displays the names of the most recently opened dictionary files. The tabs allow you to quickly open a dictionary by simply clicking on a tab. You create a new tab by choosing Open or New from the File menu. You remove the active tab by choosing Close from the File menu. You can reorder the tabs by dragging and dropping a tab with the left mouse button.


Managing Dictionaries

Opening a Dictionary

You can open a dictionary through one of several ways:

1. Choose Open from the File Menu

- OR -

2. Click the  button in the Dictionary Panel.

- OR -

3. With the mouse over the Dictionary List Box, click the right mouse button and choose Open File.

- OR -

4. In your word processor, press the file's shortcut key to activate SpeedType and open the file.

Adding New Entries to the Dictionary

There are 4 ways to create a new dictionary entry:

1. Choose Add from the Dictionary Menu

-OR-

2. Press the Ins key in SpeedType's main window.

-OR-

3. Press the Alt+Ins key from *inside* your word processor. (Note: For this to work, AutoReplace must be enabled and the Alt+Ins option must be enabled in the AutoReplace Preferences.) SpeedType automatically suggests a keyword for you with an optional prefix and/or suffix added to the keyword.

-OR-

4. Use your mouse to select (highlight) the block of text you want to add in your word processor then press Ctrl+Ins twice. (Note: This works only if your word processor recognizes the Ctrl+Ins command to copy text to the clipboard.)

Duplicating an Entry

You can duplicate (or “clone”) a dictionary item as follows:

1. Select the original entry with the left mouse button. (Note: Only one item can be duplicated at a time.)
2. Choose Duplicate from the Dictionary menu. SpeedType will create a new entry then display the Dictionary Text dialog box.

<p>Tip: Pressing Alt+Ins in SpeedType’s main window is equivalent to choosing Duplicate from the Dictionary menu.</p>
--

3. Edit the entry then click OK to save your changes.

Changing a Dictionary Entry

You can change an existing entry by first selecting the entry in the Dictionary list box then choosing Modify from the Dictionary menu.

Tip: Pressing the F2 key is equivalent to choosing Modify from the Dictionary menu.

Removing a Dictionary Entry

How to Remove a Single Entry from the Dictionary

You can remove an entry from the dictionary by first selecting the entry in the Dictionary list box then:

Choosing Remove from the Dictionary menu.

-OR-

Pressing the Del key.

Tip: If you make a mistake, you can restore the deleted entry by choosing Paste from the Dictionary menu.

How to Remove a Block of Entries from the Dictionary

First select a block by clicking on an entry then, while holding down the Shift key, click on the another entry. All entries between the two entries should now be selected. You can now delete the selected entries by:

Choosing Remove from the Dictionary menu.

-OR-

Pressing the Del key.

Tip: If you make a mistake, you can restore the deleted entries by choosing Paste from the Dictionary menu.

Moving Entries to Another Dictionary

You can copy or move dictionary entries to another dictionary by using SpeedType's built-in clipboard copy and paste commands as follows:

1. Select the entry you want to copy with the left mouse button. You can select a block of entries by holding down the Shift key and clicking on the left mouse button.

Tip: To select the entire dictionary, Left Click on the first entry, scroll down to the last entry then Shift+Left Click on the last entry.
--

2. Choose Copy from the Dictionary menu to place a copy of the selected item(s) to the clipboard. Alternatively, you can choose Remove from the Dictionary menu to "cut" the selected items to the clipboard,
3. Open the destination dictionary by either choosing Open from the File menu or by clicking on the dictionary's tab if it was previously opened.
4. Choose Paste from the Dictionary menu to write the contents of the clipboard to the active dictionary.

Using SpeedType

Running SpeedType in the Background

Run SpeedType in the background by clicking on the Hide button or by pressing Esc anywhere in SpeedType's Main Window.

Once it is in the background, SpeedType will monitor your keystrokes and expand keywords as you type if AutoReplace is enabled.

You can access SpeedType's main window from within your word processor by pressing SpeedType's hot key or by clicking on the SpeedType icon in the Windows system tray.

Aborting Playback

To abort text insertion after playback has started, press the Esc key.

Backing Up Your Dictionaries

It is strongly recommended that you make copies of the dictionary files and save them to a floppy disk or tape drive at regular intervals. The dictionary files have the extension ".SPF" . To find the location of the .SPF file, choose Info from the Dictionary menu.

Manual Backups

To save a copy of the active dictionary to a diskette or another folder, choose Copy to from the File menu. Note that linked entries are not part of the active dictionary and will not be copied; to make a copy of a linked dictionary you will need to make it the active dictionary by opening it first (choose Open from the File menu).

Automatic Backup Files

After you modify and save a dictionary, SpeedType automatically makes a backup copy of the original file. The backup copy is saved to a file with extension ".~SP". You can restore the original data by simply renaming the backup file back to its original name.

Statistics Box

Choose Statistics from the Help menu to display the Statistics Box. The Statistics box displays the following:

- The approximate number of characters you typed.
- The approximate number of characters SpeedType typed for you.
- The estimated time you saved by using SpeedType.

<p>Warning: The above numbers are approximate and should not be used as a way to get an exact count of characters actually typed.</p>
--

Reset Button

Click this button to reset the counters.

Speed Test Button

Click this button to bring up a window for estimating your typing speed.

Accessing SpeedType

Bring up SpeedType's main window from within your word processor by pressing SpeedType's hot key.

Important: SpeedType can only insert text into the window from which you pressed the hot key.

Specifying the Text To Type

In the Keyword box, enter the keyword of the text you wish SpeedType to type. The text associated with the keyword appears in the Text to Type box.

You can also select the Text To Type by:

Selecting the desired text in the Dictionary list box.

-OR-

Pressing the up and down arrow keys in the Keyword box to scroll through the dictionary list.

Modifying the Text To Type

SpeedType must have been activated from within your word processor by pressing the hot key.

Specify the text to type as described in "Specifying the Text to Type."

You can edit the text that is to be typed by directly modifying the text in the Text to Type box.

<p>Tip: You can change the font of the characters in the Text to Type box through the Editor Font button in the Display Page of the Preferences Dialog Box.</p>
--

Typing Text Into Your Word Processor

Please Note! SpeedType always types the text into the active window or the window from which you pressed the hot key.

The text that SpeedType will "type" into your word processor is displayed in the Text To Type box (see "Specifying the Text to Type.")

If the Text To Type contains {@INPUT} tags, SpeedType will pause to accept before typing the text.

To command SpeedType to type the text into your word processor:

Click the Type It button.

-OR-

With the focus in the Keyword box (the text caret must be blinking in the Keyword box), press the ENTER key

-OR-

Double-click on the text item in the Dictionary list box.

Tip: Use Restore Last command to replay an expansion. You can replay the previous expansion by pressing the hot key to bring up SpeedType, right click on the Text to Type box, select "Restore Last" then click the Type It button.

Advanced Topics

Tags

SpeedType uses special fields called “tags” that may be embedded in the dictionary's text to represent special characters and commands. The syntax of a tag is:

{@tag_name options}

Notes:

1. There must be no spaces between '{', '@' and ***tag_name***.
2. At least one space must separate ***tag_name*** and ***options***.
3. Each left brace '{' must have a matching right brace '}'. Use the {@LEFTBRACE} and {@RIGHTBRACE} tags if you need to insert non-matching braces.
4. SpeedType always processes the input tags ({@INPUT} and {@INPUTDATE}) first. The non-input tags (such as {@REM}, {@LONGDATE} and {@DELETELINE}) are always removed or replaced just before SpeedType transfers the text to the word processor.
5. Unrecognized tags are typed as is.

SpeedType recognizes the following tags:

Date/Time Tags

These tags allow you to insert the current date/time into your text.

{@LONGDATE}	Inserts current date using Windows long format
{@SHORTDATE}	Inserts current date using Windows short format
{@LONGTIME}	Inserts current time using Windows long format
{@SHORTTIME}	Inserts current time using Windows short format

Keyboard Tags

These tags are used to simulate keystrokes.

{@KEY}	Simulates a complete keystroke
{@KEYDOWN}	Simulates a key press.
{@KEYUP}	Simulates a key release.
{@PAUSE}	Inserts a pause between keystrokes

User Input Tags

These tags display a dialog box and waits for user input.

{@INPUT}	Displays a text input dialog box
{@INPUT} with Pick Lists	Displays a pick list input dialog box
{@INPUTMSG}	Displays a message
{@INPUTDATE}	Displays a calendar input dialog box

Miscellaneous Tags

{@INPUTFILE}	Inserts a text file
{@INPUTTCL}	Executes a Tcl script
{@NOSPACE}	Prevents a space from appearing after expansion
{@DELETELINE}	Deletes the entire line that contains this tag
{@REM}	Used to embed comments in your text definitions

<code>{@LEFTBRACE}</code> , <code>{@RIGHTBRACE}</code>	Inserts a left (‘{’) or right (‘}’) brace
---	---

The SpeedType tags are described in more detail in the Reference section.

AutoReplace

When AutoReplace is enabled, SpeedType automatically replaces keywords as you type them in your word processor; there is no need to press the leading hot key. You enable AutoReplace by checking the AutoReplace box in SpeedType's Main Window.

How AutoReplace Works

As you enter characters in your word processor, SpeedType monitors your keystrokes. When a recognized keyword is detected, SpeedType will generate a visual cue. You can disable the visual and audible cues in the Preferences box. If you press the Enter, Space or Tab key or type a non-alphanumeric character, SpeedType will simulate backspaces to erase the keyword in the word processor and replace it with the keyword's text to type.

Adding Words to the Dictionary

If AutoReplace is enabled and the Alt+Ins option is enabled in Preferences, pressing **Alt+Ins** will add the current word into the dictionary. To copy a block of text to the dictionary, use the mouse to select (highlight) the text and press **Ctrl+Ins** twice. This works only if your word processor uses the Ctrl+Ins command to copy text to the clipboard.

Preventing Keyword Replacement

You can prevent a keyword from being replaced by pressing **Esc** or **Ctrl+Space**.

AutoReplace Key Groups

AutoReplace classifies keystrokes into five groups:

ALPHANUMERIC CHARACTERS

This group is composed of all alphabetic and numeric characters plus the underscore ("_") character. SpeedType uses the Windows language driver to determine if a character is part of the alphabet. Keywords are normally composed of alphanumeric characters.

SEPARATOR CHARACTERS

This group is composed of the visible non-alphanumeric characters used to separate words. SpeedType will normally expand keywords whenever you type a SEPARATOR character after a keyword. SEPARATOR characters include all punctuation marks and non-alphanumeric characters:

`.,,:;"'/?<>-+=|\|(){}[]~`!@#$%^&*`

Note: The comma character is treated differently if the AutoComplete option is enabled.

TERMINATOR CHARACTERS

This group is composed of the non-visible characters used to separate words. SpeedType will expand keywords whenever you press a TERMINATOR key after a keyword. The TERMINATOR keys are:

Space, Enter, Tab, Ctrl+Enter, Ctrl+Tab, Shift+Space

Important: AutoReplace will not work properly if you select a TERMINATOR key to be a hot key or shortcut key.

CONTROL CHARACTERS

This group is composed of the command-type keystrokes. SpeedType clears its internal keystroke buffer whenever you press a Control character. Control characters include: Function keys, arrow keys, Ctrl+keys (except for those defined as Terminators), Shift+Tab, Alt+keys, Insert, Delete, PgUp, PgDn, Home, End, Esc, and all SpeedType shortcut keystrokes. Mouse clicks will clear the internal keyboard buffer if the Support On-Screen Keyboards option (in AutoReplace Preferences) is disabled.

SPECIAL CHARACTERS

This group is composed of keystrokes which are treated as special commands by AutoReplace. The keys in this group are: **Tab, Ctrl+Space, Alt+Ins, Ctrl+Ins, Esc.**

- Pressing Tab after a keyword will expand the keyword immediately (NOTE: Previous versions of SpeedType used the Shift+Enter key to expand keywords immediately; it is recommended you now use the Tab key instead of Shift+Enter.)
- Pressing Ctrl+Space after a keyword will insert a space without expanding the keyword.
- Pressing Alt+Ins will add the current word to the dictionary.
- Pressing Ctrl+Ins twice (Ctrl+Ins+Ins) will add the selected text to the dictionary (this works only if the word processor uses Ctrl+Ins to copy text to the clipboard).
- Pressing Esc will clear the keystroke buffer. The Esc character is passed to the word processor only if the keystroke buffer is empty.

Note: The Preferences box has options to prevent AutoReplace from processing the Ctrl+Space and Alt+Ins keys.

Keyword Identifiers

In SpeedType, keywords can be any string of up to 32 characters. However, to make a keyword recognizable to AutoReplace, a keyword must be normally composed of only ALPHANUMERIC characters. For example “**abc**” and “**123**” are valid AutoReplace keywords, but “**my macro**” will not be recognized by AutoReplace because of the presence of the space.

SEPARATOR Characters in Keywords

Under certain circumstances, AutoReplace will recognize keywords that contain SEPARATOR characters.

1. A SEPARATOR character will be recognized as part of a keyword if it is identical to the preceding character in the current word. For example, if you type **//**, the second **/** is not considered a SEPARATOR character. The purpose of this exception is to allow you to define keywords such as **,,,** to represent common word endings.
2. A SEPARATOR character will be recognized as part of a keyword if the SEPARATOR character is the first or last character of the keyword. For example, “**asap!**” and “**=123**” will be recognized by AutoReplace as keywords. This rule can be used to define keywords with embedded SEPARATORS. For example, “**a/1**” will be recognized as a keyword if you have another keyword called “**a/**”.

The best way to understand all this is to experiment with SpeedType and see which keywords work and which do not.

Defining Keywords for Prefixes and Suffixes

Keywords representing prefixes should normally end with a SEPARATOR character. Keywords representing suffixes should normally begin with a SEPARATOR character. For example if you define "**s/**" to represent "super" and "**,t**" as the keyword for "ite", typing "s/man" will result as "superman" and "krypton,t" will be replaced by "kryptonite".

Automatic Keyword Completion

If you have a hard time remembering keywords when using AutoReplace, SpeedType has an AutoComplete function that automatically finds the nearest keyword for you. You enable Automatic Keyword Completion ("AutoComplete") by performing the following steps:

1. From SpeedType's File menu, choose Preferences.
2. Select the AutoReplace tab.
3. Check the Enable Automatic Keyword Completion box.
4. Enable the AutoReplace Window by choosing either the Show Window Only if Keyword Detected option or the Always Show Window option.
5. Choose OK to close the Preferences box.
6. In SpeedType's Main Window, make sure that the AutoReplace box is checked.

When AutoComplete is enabled SpeedType will find the nearest keyword whenever you type two or more commas after a word. For example, let's say you have a dictionary that contains the following three entries:

<u>Keyword</u>	<u>Text to Type</u>
compute	compute
computer	computer
computerize	computerize

Now if you type **com,,** ("com" followed by two commas), SpeedType will match this to the first keyword that begins with "com" which is the "compute" keyword in our example. If you type **com,,,** ("com" followed by three commas), SpeedType will match this to the keyword "computer" which is the second keyword that begins with "com". Similarly, **com,,,,** will be matched to the keyword "computerize".

AutoReplace Suggestion Window

To enable the Suggestion Window, choose Preferences from SpeedType's File menu, choose the "4. AutoReplace" tab then check the Show Suggestion Window box. The AutoReplace box in the Main Window must also be checked for the Suggestion Window to appear.

The Suggestion Windows allows you to complete a keyword by pressing a selection key from a list of suggestions. The selection key is F1 for the first suggestion, F2 for second suggestion and so forth (you can optionally change this to Ctrl+F1 or Alt+F1 through Preferences).

Warning #1: When the Suggestion Window is visible, the selection key always takes precedence over the hot key and other shortcut keys.

Warning #2: Older computers may not be fast enough to process your keystrokes and display suggestions simultaneously. We suggest you do not display the Suggestion Window if you experience slow performance.

Tip: You can change the font of the text in the Suggestion Window as follows: choose Preferences from SpeedType's File menu, click on the Display tab, click on the Suggestion Font button.

Popup Menu

You access the Suggestion Window's options menu by clicking the right mouse button anywhere in the window.

Bring Up Main Window

Select this option to bring up SpeedType's main window.

Hide Temporarily

Select this option to temporarily hide the Suggestion Window. The Suggestion Window will reappear when you bring up SpeedType's main window by pressing the hot key (F10 by default).

3 Columns/1 Column

Use these options to select either a 3 column or 1 column format for the suggestions.

Preferences

Select this option to bring up SpeedType's Preferences dialog box.

About

Select this option to show SpeedType's About box.

Example

If you open the DEMO1.SPF dictionary and type an "a" in your word processor, the Suggestion Window would look something like:



The first line shows the contents of the keyboard buffer (i.e. the word you are typing). In the above example, we had just typed an “a”.

The next 3 lines show the 9 nearest matching keywords with the corresponding selection keys (F1 .. F9). In the above example, the nearest matching keyword to “a” is “asap”. If you press “F1”, SpeedType will replace the “a” with “as soon as possible” into your word processor. Similarly, if you press “F6”, SpeedType will replace the “a” with “fox”.

Linking Dictionaries

SpeedType allows you to access the entries in other dictionaries by *linking* the contents of another dictionary into the active dictionary. The most common use of linking is to place common entries (such as your name) into a separate dictionary and linking this common dictionary to all your active dictionaries.

You specify the dictionaries to link as follows:

1. Choose Preferences from SpeedType's File menu.
2. Choose the "5. Links" tab.
3. Enter the dictionaries to link in the list by clicking on the Add button.
4. Enable the links by checking the Enable Links box.

Important: If the Enable Links box is *not* checked, no linking will occur.

Linking Rules

SpeedType follows these rules to link entries:

1. All the entries in the active dictionary (i.e. the dictionary which you opened and whose name appears in the title bar of SpeedType's main window) are loaded first.
2. SpeedType then loads in the dictionaries in the order specified in the list shown in the "5. Links" tab in the Preferences window.
3. Duplicate keywords are always ignored and not loaded.
4. Duplicate shortcut keys are removed.
5. Linked entries are marked "read-only" and cannot be modified or removed.

Example

Linking is best illustrated with an example. Let's say you have three dictionaries set up as follows:

D1.SPF:

a1 = A1 (D1.SPF)
a2 = A2 (D1.SPF)
a3 = A3 (D1.SPF)

D2.SPF:

a3 = A3 (D2.SPF)
a4 = A4 (D2.SPF)

D3.SPF:

a3 = A3 (D3.SPF)
a4 = A4 (D3.SPF)
a5 = A5 (D3.SPF)

Next, we specify D2.SPF and D3.SPF as linked dictionaries by choosing Preferences from SpeedType's File menu, selecting the "5. Links" tab, and adding D2.SPF and D3.SPF to the list. The list would therefore contain the following 2 items:

D2.SPF
D3.SPF

Now if we open D1.SPF (by choosing Open from SpeedType's File menu), the Dictionary List in SpeedType's Main Window would contain the following items:

a1 = A1 (D1.SPF)
a2 = A2 (D1.SPF)
a3 = A3 (D1.SPF)

a4 = A4 (D2.SPF)

a5 = A5 (D3.SPF)

Note the following:

1. SpeedType loads the dictionaries in the following order: D1.SPF (the active dictionary), followed by D2.SPF and D3.SPF.
2. The “a3” keywords from the D2.SPF and D3.SPF dictionary is not loaded into SpeedType because “a3” already exists in D1.SPF
3. The “a4” keyword from the D3.SPF dictionary is not loaded because “a4” was already loaded from D2.SPF.
4. The “a4” and “a5” keywords are marked read-only and cannot be removed or modified. If you wish to modify linked entries you will need to open the dictionary that contains the entry. For example, to modify “a5”, you will need to open D3.SPF.

Protecting Your Dictionaries

If you want to prevent unauthorized access to your dictionary, you can protect the SpeedType (.SPF) file by choosing Protect from SpeedType's Dictionary menu.

License ID

This is the SpeedType LICENSE ID shown in SpeedType's About Box. By specifying a License ID in this box only the user with the specified LICENSE ID can read (but not modify) the file.

The author (i.e. the person who last saved the dictionary) always has full access to the dictionary so specifying your own LICENSE ID in the Protect box won't prevent you from modifying the dictionary. If your company is using a Site License, you only have a single Site License ID that is shared among multiple users; to protect a shared dictionary, you will need to purchase a personal 1-User SpeedType License, run SpeedType using the 1-User SpeedType License ID and enter your company's Site License ID in the Protect box to prevent other's from modifying the dictionary.

To allow a user who is using an evaluation copy of SpeedType to read (but not modify) the file, enter "EVAL" as the License ID.

To allow any user to read and modify the file (i.e. allow unprotected access) , specify a blank string for the License ID.

3 Lines

You can enter anything you want in these 3 lines. The information you enter here will be displayed when the user chooses Info from SpeedType's Dictionary menu. Common uses of these lines are to enter your name and copyright information.

Tip: You can choose Info from the Dictionary menu to view the protection settings.

Warning: Since the protection scheme is based on the SpeedType License ID, it is important that you keep your License ID in a secure place since anyone with access to your License ID may be able to read your protected files! You can view your License ID by choosing About from the Help menu and clicking on the REGISTER button. Losing your License ID may result in your inability to access your file.

How to Simulate Underlined or Bold Text

SpeedType can only simulate keystrokes and has no concept of the fonts associated with keystrokes. To simulate changing fonts, you will need to find out the keystroke commands in your word processor to change to the desired font. For example, Microsoft Word uses Ctrl+B to enable/disable bold face. So to simulate bold text with SpeedType in Microsoft Word, you simply need to simulate the Ctrl+B keystroke. Here's an example:

Keyword: any_keyword

Text to Type: This is {@KEY Ctrl+B}bold{@KEY Ctrl+B}.

You can use the same concept to add any formatting codes to your SpeedType text.

Inserting ASCII Codes

You can insert any ASCII character (including extended characters) by pressing the Alt+ASCII Code combination on the numeric keypad. For example, you can insert the Copyright symbol "©" (ASCII Code 0169) as follows: While holding down the Alt key, type "0", "1", "6", "9" on the numeric keypad.

Alternative Methods:

You can bring up the Windows Character Map Application (CHARMAP.EXE, normally located in the Windows Accessories folder) and cut and paste the desired character directly into SpeedType.

-OR-

You can use your word processor (e.g. choose Symbol from the Insert menu in Microsoft Word) to create the special character then copy and paste the character to SpeedType.

Effect of Keyboard Activity during Playback

For most cases SpeedType is able to complete playback before you type your next keystroke. However, if you are a very fast typist or if SpeedType is playing back long paragraphs, it is possible that you may type a keystroke before SpeedType has finished the expansion. This section explains how SpeedType handles your keystrokes when SpeedType is in the middle of a text expansion.

If you type something while typing a key while SpeedType is playing back text, SpeedType will save most keystrokes and play them back after SpeedType is finished expanding the text. However, some “system” keystrokes you make during playback can cause undesired effects:

Esc Key

Pressing the ESC key during playback will abort playback.

Shift, Ctrl, Alt Keys

Pressing or releasing the Shift, Ctrl or Alt keys during playback will normally not affect the output.

Caps Lock

The effect of having CAPS LOCK key enabled depends on the method of text transfer. If you use the Clipboard to transfer text, the CAPS LOCK key has no effect. If the text is transferred through keyboard simulation, the state of the CAPS LOCK key affects how the text appears; pressing or releasing CAPS LOCK with SpeedType during text playback may result in partial caps.

Num Lock, Scroll Lock, Print Screen, Pause/Break Keys

Pressing or releasing these keys during playback can cause undesired results.

Alt+Tab, Windows Keys

Pressing these keys during playback usually results in activating a new window. For example, Alt+Tab will switch to the next window while WIN+E will bring up the Windows Explorer. Since SpeedType will insert text into the active window, pressing the Alt+Tab or Windows key during playback may cause keystrokes to be sent to the wrong window.

Warning: Sending keystrokes to the wrong window may overwrite or delete data.
--

Using SpeedType on a Network

It is possible to run SpeedType on a network to be shared among 2 or more users simultaneously.

Installing SpeedType

If you are using a peer-to-peer network with not too many users, we recommend you install a separate copy of SpeedType for each user (i.e. each user has their own copy of SpeedType). If you have many users or are using a thin client network (e.g. Windows Terminal Services or Citrix), you will need to install SpeedType on the server machine as thin client PC's normally contain security features that prevent SpeedType from working.

SpeedType Dictionary Files

You can place the SpeedType dictionary (*.SPF) files anywhere on the network. When SpeedType loads a dictionary, SpeedType does *not* lock the file so it is possible to lose data when 2 or more users make changes to the file. To avoid conflicts, use SpeedType's Protection feature to prevent a dictionary from being modified (note: to implement the protection feature, you need at least two different SpeedType Registration ID's -- the person who is authorized to modify a protected dictionary would need to use a SpeedType license number that is different from the other users; contact your authorized SpeedType Reseller if you need to purchase another license).

SpeedType Configuration Files

By default, SpeedType stores a user's preferences (such as window position and the last dictionaries loaded) in the SpeedType program directory. You can change the directory where the preferences will be stored by specifying the new directory in the SpeedType command line as follows:

```
<pathToST10.EXE> /cfg=<configurationDirectory>
```

where:

<pathToST10.EXE> is the complete path to the SpeedType executable file (ST10.EXE).

<configurationDirectory> is the directory to save the configuration files.

Here is an example: Let's say you have 2 users, John and Jane, who will be sharing SpeedType on the *same* PC. John has a directory called C:\JOHN on the PC and Jane has directory called C:\JANE to store her private files. What you will need to do is create two SpeedType shortcut icons; one for John and another for Jane. When John wants to start SpeedType, he will simply double click on his shortcut icon. When Jane wants to use SpeedType, she will double click on her SpeedType icon.

The command line associated with John's shortcut icon would be:

```
"C:\ST10\ST10.EXE" /cfg="C:\JOHN"
```

The command line for Jane's shortcut icon would be:

```
"C:\ST10\ST10.EXE" /cfg="C:\JANE"
```

Note that there are no spaces around the "=" character and double quotes are required to enclose ALL directory names that contain spaces.

How to Prevent Certain Characters from Expanding Keywords

SpeedType will normally expand keywords whenever you type a SEPARATOR character after a keyword. SEPARATOR characters include all punctuation marks and non-alphanumeric characters:

`. , ; ' ' / ? < > - + = | \ | () { } [] ~ ` ! @ # $ % ^ & *`

You can to prevent a certain character from expanding keywords by modifying the SHORTHND.INI file found in your SpeedType program directory:

1. Start SpeedType.
2. Choose Preferences from the File menu.
3. Click OK. This will update your SHORTHND.INI file.
4. Shut down SpeedType.
5. Use NOTEPAD to open SHORTHND.INI.
6. Go to the [PREFERENCES] section in the SHORTHND.INI file.
7. Locate the ALPHACHARS= entry. The entry should look something like:

`ALPHACHARS=list_of_characters`

Where *list_of_characters* can be any string (including a blank string).

8. Add the characters you wish to prevent expansion to the value of ALPHACHARS.
9. For example, if you want expansion to not take place whenever you type a slash (/), colon (:) or backslash (\) after a keyword, your ALPHACHARS entry should look like:

`ALPHACHARS=/:\\`

Note: Commas are treated differently in SpeedType. If you want to prevent a comma from expanding keywords, you will need to do two things: (a) Add the ',' character to ALPHACHARS and (b) uncheck the Enable Automatic Keyword Completion box in the Preferences window.

Tcl Scripts

Scripts written in the Tool Command Language(Tcl) can be executed directly from a .tcl file or embedded in SpeedType code through the {@INPUTTCL} tag. If you are not familiar with Tcl, please consult the TclReadme.txt file for more information on this powerful programming language. SpeedType has extension commands for managing your dictionaries as well as some SpeedType parameters.

Tcl Extension Commands

Tcl Extension Commands

Summary of Tcl extension commands introduced by SpeedType:

run	Launches a Windows file or program.
sh_file	Manages SpeedType dictionaries.
sh_input	Displays an input dialog box.
sh_list	Manages entries in the active dictionary.
sh_screen	Manages your Windows desktop.
sh_set	Sets SpeedType parameters.
sh_window	Manages the SpeedType main window.

run Tcl Command

Syntax

run *filename* ?*arg*? ?*arg* ...?

Description

Launches or opens a Windows program or file. *Filename* is the complete pathname to the file to open. Note that the *filename* must follow the Tcl convention of using forward slashes (/) instead of backslashes (\) as the path separators. *arg* are optional command line options passed to the application. For example, this will open a text file called "myfile.txt" in NOTEPAD:

```
run "c:/windows/notepad.exe" "c:/myfolder/myfile.txt"
```

You should use the **run** command rather than the standard **exec** Tcl command to launch external applications from within SpeedType since unlike **exec**, **run** does not wait for the application to terminate before returning.

sh_file Tcl Command

Syntax

sh_file *option arg ?arg ...?*

Description

Performs one of several commands related to SpeedType file operations. The legal *options* are:

sh_file

Returns the complete pathname of the active dictionary. The pathname follows the Tcl convention of using forward slashes (/) instead of backslashes (\) as the path separators.

sh_file open file

Open a dictionary. Equivalent to choosing Open from SpeedType's File menu and specifying *file* as the filename. Note that the filename must follow the Tcl convention of using forward slashes (/) instead of backslashes (\) as the path separators. For example:

```
sh_file open "C:/my folder/my wordlist.spf"
```

sh_file close

Close the current dictionary. Equivalent to choosing Close from SpeedType's File menu.

sh_file save ?filename?

Save the current dictionary. If *filename* is not specified, this is equivalent to choosing Save from SpeedType's File menu. If *filename* is specified, this is equivalent to choosing Save As from the File menu and specifying *filename* as the filename. Note that *filename* must follow the Tcl convention of using forward slashes (/) instead of backslashes (\) as the path separators. For example:

```
sh_file save "D:/my folder/newfile.spf"
```

sh_input Tcl Command

Syntax

sh_input *option prompt arg ?arg ...?*

Description

Displays dialog boxes. *prompt* is a string you wish to be displayed at the top of the dialog box. Returns the user input if the user clicks the OK button. Returns the string "SH_CANCEL" if the user clicks on the CANCEL button. The legal *options* are:

sh_input string *prompt ?defaultValue?*

Display an input dialog window with a one line text box. The text box is initialized with the *defaultValue* and the user may type anything in the text box. Returns the contents of the text box if the user clicks the OK button. Returns the string "SH_CANCEL" if the cancel button was clicked.

sh_input memo *prompt ?defaultValue?*

Display a multiline dialog window. Same as **sh_input string** except that a multiline text box is shown in the dialog window.

sh_input date *prompt ?defaultValue?*

Display a date input dialog window. Same as **sh_input string** except that a date input box is shown in the dialog window.

sh_input open *prompt ?-filter fileTypes? ?defaultValue?*

Display a window to open a file. Same as **sh_input string** except that an Open File dialog window is shown. The file-selection dialog includes a drop-down list of file types; when the user picks a file type from the list, only files of the selected type are displayed in the dialog. You can configure the file types to be displayed through the *-filter* option. To assign file types, set *fileTypes* to a string that consists of a description and a mask separated by a vertical bar (pipe) character. Do not include spaces around the vertical bar. For example, the following code will display a dialog box to open only *.TXT or *.DOC files:

```
sh_input open "Select file to open" -filter "Text files|(*.txt)|Word files|(*.doc)"
```

sh_input save *prompt ?-filter fileTypes? ?defaultValue?*

Display a window for saving a file. Same as **sh_input open** except that a Save As dialog window is shown.

sh_input list *prompt {listItems} ?{defaultSelections}?*

Display a dialog window with a picklist. *listItems* is a list of strings to display in the picklist. *defaultSelections* are the index numbers of items in *listItems* that are marked as selected when the dialog window is first displayed. The return value is a list of index numbers of selected items if the user clicked the OK button. The return value is "SH_CANCEL" if the cancel button was clicked. For example:

```
sh_input list "Enter color:" {red blue green}
```

returns the list

```
0 2
```

if the user selected red and green.

sh_input list1 *prompt {listItems} ?{defaultSelection}?*

Same as `sh_input list` except that a single-selection picklist is shown in the dialog window. The user can select only one item in the list.

sh_input msg *prompt message*

Display *message* to the user.

sh_input show *?value?*

Shows (*value=1*) or hides (*value=0*) the current input dialog window. This is useful if you need to temporarily hide the Input dialog window when running a Tcl script.

sh_input spellcheck *prompt text*

Displays a multi-line dialog window and then spell checks *text*. Same as executing **sh_input memo** and clicking on the Spell Check button.

sh_list Tcl Command

Syntax

sh_list *option arg ?arg ...?*

Description

Performs one of several commands related to SpeedType dictionary operations. The legal *options* are:

sh_list add *keyword text ?desc? ?shortcut?*

Add a new entry into the active dictionary. Returns the index number of the new entry. Generates an error if the entry could not be added (e.g. if the keyword already exists). For example:

```
sh_list add "asap" "as soon as possible" "" "ctrl+a"
```

sh_list update *keyword text ?desc? ?shortcut?*

Updates an existing entry in the active dictionary. Returns the index number of the updated entry. Generates an error if the entry could not be updated (e.g. if the keyword is read-only). For example: abc

```
sh_list update "asap" "as soon as possible"
```

sh_list remove *index*

Remove the index'th entry of the active dictionary. The first dictionary entry has an index of 0. Returns the number of remaining entries. For example, this command removes the third entry:

```
sh_list remove 2
```

sh_list search *keyword*

Search for *keyword* in the active dictionary and return it's dictionary index number if found. The first dictionary entry has an index of 0. Returns -1 if not found.

sh_list length

Returns number of entries in the active dictionary

sh_list keyword *index*

sh_list text *index*

sh_list desc *index*

sh_list shortcut *index*

Retrieve the keyword, text (i.e. Text to Type), description and shortcut of the index'th entry of the active dictionary. The first dictionary entry has an index of 0.

sh_list text *index textToType*

sh_list desc *index description*

sh_list shortcut *index shortcut*

Sets the text (i.e. Text to Type), description and shortcut of the index'th entry of the active dictionary. The first dictionary entry has an index of 0. Note that the only way to change an existing keyword is to first delete it with **sh_list remove** then add a new entry with **sh_list add**.

sh_list readonly *index*

Returns 1 if the index entry of the active dictionary is READONLY or 0 if the entry can be modified. An entry is READONLY if: a) the active dictionary is a protected dictionary or b) the entry was linked from another dictionary.

sh_screen Tcl Command

Syntax

sh_screen *option arg ?arg ...?*

Description

Performs one of several commands to manage your Windows desktop screen. The legal *options* are:

sh_screen *classname handle*

Returns the class name of the window with the specified *handle*. Unlike a handle which can change every time you launch an application, an application's class name is fixed so if you know an application's class name you can use the **sh_screen findwindow** command to get the application's window handle. For example, the following script will display the class name of the current active window:

```
# get handle of current active window
set hwnd [sh_screen foregroundwindow];

# get class name
set classname [sh_screen classname $hwnd];

# display classname
sh_input msg "" "Class name: $classname";
return "";
```

sh_screen *enumwindows procName clientData*

Enumerates all top-level windows (note: child windows are not enumerated) by passing the handle of each window to a Tcl proc specified by *procName*.

sh_screen enumwindows continues until the last top-level window is enumerated or the *procName* proc returns 0. *clientData* is a value you want passed to the *procName* proc. The return value of **sh_screen enumwindows** is the handle of the window that stopped the enumeration. This proc is useful for finding a window if you know its title (see example below).

procName is the name of a Tcl proc that will be called for every top-level window. The *procName* proc takes two arguments: *hwnd* and *clientData* :

```
proc procName { hwnd clientData } {
    # your code ...
}
```

hwnd is the handle to the top-level window. *clientData* is the value passed to **sh_screen enumwindows**.

To continue enumeration to the next top-level window, the *procName* proc must return 1. To stop enumeration, *procName* must return 0.

The following example returns the window handle of the top-level window whose window title starts with the text "SpeedType":

```
proc myproc {hwnd clientData} {
    set s [sh_screen windowtext $hwnd];
    if { [string match $clientData $s] == 1 } {
        return 0;
    }
    return 1;
}

# Return value is the handle of the window whose
# title starts with "SpeedType".
# If the search fails, 0 is returned.
return [sh_screen enumwindows myproc "SpeedType*"]
```

sh_screen findwindow *className ?windowName?*

Returns the handle (a unique identification number) to the top-level window whose class name and, optionally, the window name (the text in the window's title bar) text matches the specified strings. This command does not search child windows. This command does not perform a case-sensitive search. If *windowName* is not specified, this command will return the first window that matches *className*. A return value of zero is returned if no window matches the specified class name.

sh_screen foregroundwindow *?handle?*

Returns the handle of the active window (the window with the keyboard focus). If *handle* is specified, this command will activate and give the keyboard focus to the window with the specified handle. For example, the following script runs notepad and sets notepad as the active window:

```
#launch notepad
run notepad;

# wait 1 second
after 1000 ;

# The class name of notepad.exe is "Notepad"
set hwnd [sh_screen findwindow "Notepad"];

# bring notepad to the foreground
if {$hwnd != 0} {
    sh_screen foregroundwindow $hwnd;
```

```

}

return "";

```

sh_screen iskeydown *keycode*

Returns 1 if the keyboard combination specified by *keycode* is currently pressed down. *keycode* is the shortcut keycode used by the {@KEY tag}. For example, the following script makes sure the Shift and Alt keys are up before simulating a Ctrl+C copy to clipboard command.

```

#wait for Alt key up
while { [sh_screen iskeydown alt] } { }

# wait for Shift key up
while {[sh_screen iskeydown shift]} { }

# simulate Ctrl+C
sh_screen key ctrl+c

```

sh_screen key *args*

Synthesize a keystroke that will be processed by the currently active window (the foreground window). *args* can be one or more shortcut key codes used by the {@KEY} tag. The difference between this command and the {@KEY} tag is that the **sh_screen key** command simulates the keystroke immediately while the {@KEY} tag simulates the keystroke only after all tags and Tcl scripts have been evaluated. For example;

```

# simulate ctrl+b
sh_screen key "ctrl+b"

# simulate "hello"
sh_screen key "h" "e" "l" "l" "o"

```

Tip: Use the **sh_screen iskeydown** command to make sure the Ctrl, Shift, Alt keys are not down before simulating a keystroke.

sh_screen windowtext *handle ?text?*

Returns the text in the title bar (if it has one) of the window with the specified *handle*. If *text* is specified, this command will change the text of the specified window's title bar (if it has one).

sh_set Tcl Command

Syntax

sh_set *option ?value?*

Description

Use this command to get or change SpeedType events, parameters and variables. The legal *options* are:

sh_set autoreplace *?value ?*

Enable (*value*=1) or disable (*value*=0) AutoReplace. Equivalent to checking or unchecking the AutoReplace box. Returns the current state of AutoReplace.

sh_set links *?value ?*

Enable (*value*=1) or disable (*value*=0) Dictionary Links. Equivalent to checking or unchecking the Enable Links option in the “5. Links” tab of the Preference box. Returns the current state of Links.

sh_set suggestion_window *?value?*

Enable (*value*=1) or disable (*value*=0) the Suggestion Window. Equivalent to checking or unchecking the Show Suggestion Window option in the “4. AutoReplace” tab of the Preference box. Returns the current state of the Suggestion Window.

sh_set clipboard *?string?*

Read or write to the Windows clipboard. If *string* is specified, this command writes *string* to the clipboard. Returns the current contents of the clipboard.

sh_set targetWindowHandle

Returns the Windows handle of the application that is to receive SpeedType text.

See example in **sh_set onTransferDone**.

sh_set keyword_typed

Returns the word typed by the user that triggered SpeedType; this can be an empty string if SpeedType was triggered through a keyboard shortcut (e.g. F12).

sh_set lastTextToType

Returns the last expanded text. For example, the following entry will replay the last expansion:

KEYWORD: replay1

TEXT TO TYPE: {@INPUTTCL sh_set lastTextToType}

sh_set onTransfer *?script?*

Evaluates *script* just before SpeedType inserts a long form. For example: this script, if placed in Shorthnd.tcl, will replace all instances of {@PAUSE} and

{@KEY} with {@PAUSE} and {@KEY} whenever SpeedType expands in NOTEPAD (and only in NOTEPAD):

```
# place this script in shorthnd.tcl
proc onTransfer {} {
    # get target window
    set hwnd [sh_set targetWindowHandle]
    if {[sh_screen classname $hwnd] != "Notepad"} {
        return;
    }
    # get text that will be expanded
    set s [sh_set textToType];
    # do the replacements
    regsub -all -nocase "{@pause" $s {@PAUSE} s;
    regsub -all -nocase "{@key" $s {@KEY} s;
    # send the modified text back to SpeedType
    sh_set textToType $s
}
# activate the event handler
sh_set onTransfer "onTransfer";
```

sh_set onTransferDone ?script?

Evaluates *script* after SpeedType has inserted a long form. For example, this shows how to define a keyword that will insert another keyword that can be expanded by SpeedType:

```
KEYWORD: t1
TEXT TO TYPE:
{@INPUTTCL
    sh_set onTransferDone {
        update;
        sh_set onTransferDone {}
    }
    after idle "sh_screen key a s a p ";
    return "";
}{@NOSPACE}
```

```
KEYWORD: asap
TEXT TO TYPE: as soon as possible
```

If you type "t1<SPACE>", SpeedType will delete "t1" and replace it with "asap" with "asap" appearing in the Suggestion Window (if it's enabled). Typing a SPACE will therefore expand "asap" to "as soon as possible".

sh_set targetprocess ?processID?

This command applies only if the words "Limited Edition" appears next to the Version number in the About box.

Set the Windows process handle of the application that is to receive SpeedType text. In the Limited Edition, SpeedType will work only with windows that have a process handle equal to *processID*.

sh_set textToType ?string?

Set or get the current contents of the Text to Type box. This command is normally used with the "sh_set onTransfer" event handler to modify the expanded text.

sh_window Tcl Command

Syntax

sh_window *option arg ?arg ...?*

Description

Performs one of several commands related to the SpeedType application and main window. The legal *options* are:

sh_window refresh

Refresh (repaint) the SpeedType window. Use this command after modifying the dictionary to make sure the dictionary list box displays the changes to the user.

sh_window handle

Returns the window handle of SpeedType's top-level (application) window. This window is always invisible and is the parent of SpeedType's Main Window.

sh_window main_handle

Returns the window handle of SpeedType's Main Window.

sh_window active_handle

Returns the window handle of the active window in SpeedType.

sh_window show ?value?

Show (*value* = 1) or hide (*value* = 0) the main window. The return value is the current state of the main window. For example, **sh_window show 1** displays SpeedType's main window.

sh_window activate

Activates (i.e. gives the input focus to) the SpeedType active window. This command is needed only if you are switching between applications and need to make sure the SpeedType window gets the keyboard focus. For example, the following code brings up the Main Window and types "hello" in the Keyword box:

```
sh_window activate;  
sh_window show 1  
sh_screen key "h" "e" "l" "l" "o"
```

sh_window exit

Shut down SpeedType. Equivalent to choosing Exit from SpeedType's File menu.

sh_window cfgdir

Returns the configuration directory that is passed to SpeedType through the /cfg command line parameter. The configuration directory is where SpeedType looks for the SHORTHAND.INI, PAGES.CFG and HISTORY.CFG files.

sh_window exename

Returns the full name (including path) of the SpeedType program file. The returned value follows the Tcl convention of using forward slashes (/) instead of backslashes (\) as the path separators.

sh_window exedir

Returns the complete path of the SpeedType program folder. The returned value follows the Tcl convention of using forward slashes (/) instead of backslashes (\) as the path separators.

sh_window pause *value*

Pauses the script for *value* milliseconds.

Reference

Shortcut Keys

Shortcut keys are special keyboard combinations (e.g. Ctrl+Alt+F1) that can be linked to the keywords or files. There are four types of shortcuts:

1. The **Hot Key** is a shortcut for displaying SpeedType's main window and is defined in the Preferences. By default the hot key is the F10 function key.
2. A **Keyword Shortcut** is a shortcut for a keyword and is defined in the Dictionary Text dialog box. Pressing the keyword shortcut is equivalent to typing the keyword.
3. A **File Shortcut** is a shortcut for an external file and is defined in the Preferences. Pressing the File Shortcut will launch that file. If the file is a SpeedType dictionary, the dictionary will become the active dictionary. (NOTE: An alternative way to launch programs is to use the @INPUTTCL tag.)
4. A **Suggestion Shortcut** is a shortcut for selecting an entry displayed in SpeedType's Suggestion Window. Suggestion Shortcuts are recognized only if the Suggestion Window is displayed.

Shortcuts are normally recognized only when SpeedType is running in the background and not within one of SpeedType's dialog boxes.

It is possible (but not recommended) to have the same keystroke defined as the hot key, a keyword shortcut and a file shortcut. When you press a recognized shortcut key from within your word processor, SpeedType uses the following sequence of rules to determine what to do:

1. If the Suggestion Window is visible, SpeedType first checks if the keystroke is a selection key for an entry in the Suggestion Window. If it is, SpeedType immediately types the associated text.
2. Otherwise, SpeedType checks if the keystroke is the hot key. If it is, SpeedType's main window pops up and displays the current dictionary.
3. Otherwise, SpeedType checks if the keystroke is a file shortcut. If it is, SpeedType opens or launches the file.
4. Otherwise, SpeedType checks if the keystroke is a keyword shortcut in the current dictionary. If it is, SpeedType immediately types the text associated with that keyword.

<p>Warning: AutoReplace will not work properly if you select either the Tab key, Backspace key, Space key or the Enter key to be a shortcut key.</p>

Hot Key

The hot key character is a special character you type from within your word processor to bring up SpeedType. SpeedType must be running in the background for the hot key to work. By default, the hot key character is the F10 function key. You can change the hot key character in the Preferences dialog box.

Warning: AutoReplace will not work properly if you select either the Tab key, Backspace key, Space key or the Enter key to be the hot key.

Shortcut Key Codes

SpeedType simulates a keystroke or keystroke whenever it encounters the tag "{@KEY *keycode*}" For example, "{@KEY TAB}" simulates the Tab key and "{@KEY Shift+F1}" simulates pressing the F1 key while holding down the Shift key.

The keycode is composed of a **Key Name** and one or more optional **Prefixes**.

The **Prefix** can be any combination of the Ctrl, Alt or Shift keys separated by the plus '+' character.

The **Key Name** is name of the key. For example, "A" represents the A key. The following table lists the names of common keys:

<u>Key Name</u>	<u>Meaning</u>
A	"A" Key
4	"4" Key
F1	F1 Function Key
F12	F12 Function Key
Tab	Tab Key
BkSp	Backspace Key
Esc	Escape Key
Enter	Enter Key
PgUp	Page Up Key
PgDn	Page Down Key
End	End Key
Space	Space Bar
Home	Home Key
Left	Left Arrow Key
Up	Up Arrow Key
Right	Right Arrow Key
Down	Down Arrow Key
Ins	Insert Key
Del	Delete Key
Caps	Caps Lock Key
Scroll	Scroll Lock Key
Pause	Pause/Break Key
Numpad/	"/" (divide) Key on the Numeric Keypad
Numpad*	"*" (multiply) Key on the Numeric Keypad
Numpad-	"-" (subtract) Key on Numeric Keypad
Numpad+	"+" (add) Key on Numeric Keypad
Numpad0	"0" Key on Numeric Keypad
Numpad.	"." (decimal) Key on the Numerick Keypad
Numpad1	"1" Key on Numeric Keypad
Numpad9	"9" Key on Numeric Keypad
App	Applications Key on Microsoft Natural Keyboards
Lwin	Windows Key on the left side of the keyboard (some keystroke combinations may not work

Rwin correctly)
Windows Key on the right side of the keyboard
(some keystroke combinations may not work correctly)

Notes

- The NUMLOCK keystroke can only be simulated under Windows XP and later.
- There are no shortcut codes to simulate the following keys/key combinations: Ctrl+Alt+Del, and PrintScr/SysRq. Some combinations involving the Windows key (such as LWIN+E to bring up Explorer) cannot be simulated by SpeedType.
- Some characters (such as "\$" which appears on the same key as the "4" key) are shifted characters. For example, you can simulate the \$ character with Shift+4.
- Some shortcut codes are keyboard dependent. For example, while Shift+4 is equivalent to typing the '\$' character on U.S. keyboards, Shift+4 may represent some other character on European keyboards.
- Use {@KEY Ctrl+Esc} or {@KEY Lwin} to simulate pressing the Start button on the Windows task bar.

Keycode Examples:

Ctrl+A
Shift+Tab
Alt+F1
Ctrl+Alt+C

Tags

SpeedType uses special fields called “*tags*” that can be embedded in the dictionary's text to represent special characters and commands. The syntax of a tag is:

{@tag_name options}

Notes:

6. There must be no spaces between '{', '@' and ***tag_name***.
7. At least one space must separate ***tag_name*** and ***options***.
8. Each left brace '{' must have a matching right brace '}'. Use the {@LEFTBRACE} and {@RIGHTBRACE} tags if you need to insert non-matching braces.
9. SpeedType always processes the input tags ({@INPUT} and {@INPUTDATE}) first. The non-input tags (such as {@REM}, {@LONGDATE} and {@DELETELINE}) are always removed or replaced just before SpeedType transfers the text to the word processor.
10. Unrecognized tags are typed as is.

@DELETEDLINE Tag

Syntax

{@DELETEDLINE}

Description

Deletes the entire line that contains this tag. SpeedType will not type any line that contains this tag. A line is defined as a string of characters that ends with a carriage return. This tag is useful in conjunction with the {@INPUT} tags for removing blank lines from the final output.

Example

This line will be typed out.

This line will not be typed out{@DELETEDLINE}.

@INPUT Tag

Syntax

```
{@INPUT prompt}  
{@INPUT prompt @WANTRETURNS}  
{@INPUT(var) prompt}
```

Description

Displays a text input dialog box to the user. SpeedType will pause and display a dialog box to accept text input whenever this tag is encountered. The ***prompt*** will appear at the top of the dialog box to remind the user what needs to be entered. ***var*** is the name of an optional variable and is limited to alphanumeric characters ('A'..'Z', '0'..'9', '_') and must not exceed 16 characters in length. If ***var*** is present, SpeedType will replace all instances of the string "***{var}***" with the user input.

@WANTRETURNS is an optional qualifier. If **@WANTRETURNS** is present, the input window will create a new line when the ENTER key is pressed. If **@WANTRETURNS** is not present, pressing ENTER is equivalent to clicking on the NEXT button.

Advanced options

The following optional qualifiers are also supported:

@ONSHOW="script"

This will execute the specified Tcl script whenever the @INPUT tag is displayed by SpeedType.

Example

```
Name: {@INPUT(name) Please enter your name}  
Height: {@INPUT(height) Please enter your height}  
Weight {@INPUT @ONSHOW="set myflag 0" Please enter your weight}  
Summary: {name} is {height} tall.
```

Tip: Use Restore Last command to replay an expansion. If, for some reason, SpeedType did not expand the result of your input session correctly, instead of repeating the entire input session, you can replay the expansion by pressing the hot key to bring up SpeedType, right click on the Text to Type box, select "Restore Last" then click the Type It button

See Also

{@INPUT} with Pick Lists

@INPUT Tag With Pick Lists

Syntax

```
{@INPUT prompt @SINGLE @SEP="separator_string" item_list}  
{@INPUT(var) prompt @SINGLE @SEP="separator_string" item_list}
```

Description

Displays a Pick List Input dialog box to the user. SpeedType will pause and display a dialog box containing a pick list whenever this tag is encountered in the text to type box. The ***prompt*** will appear at the top of the dialog box to remind the user what needs to be entered.

var is the name of an optional variable and is limited to alphanumeric characters ('A'..'Z', '0'..'9', '_' and must not exceed 16 characters in length. If ***var*** is present, SpeedType will replace all instances of the string "***{var}***" with the user input.

@SINGLE is an optional qualifier; if **@SINGLE** is present, the user may select only one item from the pick list. If **@SINGLE** is omitted, the user can select more than one item from the pick list; the selected pick list items will be separated by ***separator_string***. The ***separator_string*** can include any SpeedType tag such as {@KEY Enter}. If **@SEP** is not specified, the default separator string is a comma.

item_list specifies the strings that are to appear in the pick list. Each item must appear on a separate line. The entire string is displayed in the pick list; however if an ***{@REM caption}*** tag is present in a pick list item, the ***caption*** is displayed instead.

Advanced options

The following optional qualifiers are also supported:

@ONSHOW="script"

This will execute the specified Tcl script whenever the @INPUT tag is displayed by SpeedType.

@GROUP

If "@GROUP" is specified in the prompt line, items that begin with an asterisk "*" are non-selectable; this is useful for adding item breaks or sub-headings in your pick list.

@GROUPBOLD

Same as "@GROUP" except that the sub-headings will always be displayed in **boldface**.

@GROUPPRINT

Same as "@GROUP" except that the sub-headings will be included in the output if at least one of its subitems is selected (see Example #7).

@AUTONUMBER

If "@AUTONUMBER" is specified in the prompt line, all items will be prefixed with numbers; this allows the user to jump to an item by typing its number.

Examples

Example #1: A pick list that allows only a single selection.

```
{@INPUT Select only one color @SINGLE  
red  
green  
blue  
}
```

Example #2: A pick list that allows multiple selections; the selected items will be separated by commas.

```
{@INPUT Select one or more colors @SEP=", "  
red  
green  
blue  
}
```

Example #3: A pick list that uses @REM tags to customize the displayed items. The user will see a list with the items "color of an apple", "color of grass", "color of the sky" instead of "red", "green" and "blue".

```
{@INPUT Select only one color @SINGLE  
{@REM color of an apple}red  
{@REM color of grass}green  
{@REM color of the sky}blue  
}
```

Example #4: A pick list with a variable name

```
{@INPUT(color) Select one or more colors  
red  
green  
blue  
}  
You selected: {color}
```

Example #5: A pick list that allows multiple selections; the selected items will appear in separate lines.

```
{@INPUT Select one or more colors @SEP="{@KEY Enter}"  
red  
green  
blue  
}
```


Example #6: A pick list divided into groups; items that begin with an asterisk "*" are treated as group headings and non-selectable.

```
{@INPUT Select a color @GROUPBOLD
* Color Group 1
red
green
blue
* Color Group 2
pink
orange
teal
}
```

Example #7: A pick list divided into groups; items that begin with an asterisk "*" are treated as group headings and non-selectable but will be included in the output if at least one of its subitems is selected.

```
{@INPUT Select a color @GROUPBOLD @GROUPPRINT @SEP={@KEY Enter}
*{@REM Color Group 1}{@KEY ctrl+b}Color Group 1{@KEY ctrl+b}
red
green
blue
*{@REM Color Group 2}{@KEY ctrl+b}Color Group 2{@KEY ctrl+b}
pink
orange
teal
}
```

If you choose: "red" and "pink", the output in Microsoft Word will appear as:

```
Color Group 1


---


red

Color Group 2


---


pink
```

Example #8: A pick list that allows multiple selections. The tcl variable "myflag" is set to zero whenever the input box is displayed.

```
{@INPUT Select one or more colors @ONSHOW="set myflag 0"
red
green
blue
}
```

@INPUTDATE Tag

Syntax

```
{@INPUTDATE prompt}  
{@INPUTDATE(var) prompt}  
{@INPUTDATE prompt @LONG}
```

Description

Displays a Date Input dialog box. SpeedType will pause and display a dialog box to accept a date whenever this tag is encountered in the text to type box.

The ***prompt*** will appear at the top of the dialog box to remind the user what needs to be entered.

var is the name of an optional variable and is limited to alphanumeric characters ('A'..'Z', '0'..'9', '_'') and must not exceed 16 characters in length. If ***var*** is present, SpeedType will replace all instances of the string "{***var***}" with the user input.

By default, the "short date format" date style is selected. To make the "long date format" the default date style, specify the @LONG qualifier.

Advanced options

The following optional qualifiers are also supported:

@ONSHOW="script"

This will execute the specified Tcl script whenever the @INPUT tag is displayed by SpeedType.

Examples

Example #1: Display a date dialog box.

Date of Birth: {@INPUTDATE Please enter your birthday}

Example #2: Display a date dialog box with "long date format" as the default date style.

Date of Birth: {@INPUTDATE Please enter your birthday @LONG}

Example #1: Display a date dialog box and clears the "bday" Tcl variable.

Date of Birth:

```
{@INPUTDATE @ONSHOW="set bday {}" Please enter your birthday}
```

@INPUTFILE Tag

Syntax

`{@INPUTFILE pathname}`
`{@INPUTFILE(var) pathname}`

Description

Loads and inserts a Text File. SpeedType will replace this tag with the contents of the file specified by ***pathname***. The file must be a standard text file and may contain SpeedType tags. ***pathname*** should contain the complete directory (path) and filename of the text file to insert. If no path is specified, SpeedType attempts to load the file from the directory where the SpeedType dictionary (.SPF) file resides. If SpeedType could not find the file, the following line will be inserted in your text: "{COULD NOT READ INPUT FILE: *pathname*}"

The {@INPUTFILE} tag is useful for keeping large amounts of text in a file separate from the SpeedType dictionary (.SPF) file; this saves memory and results in faster loading of SpeedType dictionaries. The {@INPUTFILE} tag is also useful for embedding multiline text in the item_list of the {@INPUT} tag.

var is the name of an optional variable and is limited to alphanumeric characters ('A'..'Z', '0'..'9', '_') and must not exceed 16 characters in length. If ***var*** is present, SpeedType will replace all instances of the string "{***var***}" with the contents of the file specified by ***pathname***.

Warning: Since inserted files may themselves contain other {@INPUTFILE} tags, you should watch out for the possibility of circular references in which one file inserts a second file which inserts the first file again. SpeedType tries to catch this situation by limiting the number of {@INPUTFILE} tags that may be processed.

Examples

Example #1: Insert the file "version.txt" which resides in the same directory as the SpeedType dictionary (SPF) file:

The current version of SpeedType is Version {@INPUTFILE version.txt}

Example #2: Insert a file according to what the user selects from a picklist. "male-report.txt" and "female-report.txt" may themselves contain @INPUT tags.

```
{@INPUT Select patient's gender
{@REM male}{@INPUTFILE male-report.txt}
{@REM female}{@INPUTFILE female-report.txt}
}
```

See Also

{@INPUT}

@INPUTMSG

Syntax

{@INPUTMSG}

Description

Displays a message to the user. SpeedType waits for the user to click on the Next button before continuing. This tag is useful for giving instructions to the user or can be used in conjunction with the @INPUTTCL tag to wait for an external program launched by a Tcl script to complete.

Example

{@INPUTMSG Please make sure all questions are answered completely}

<p>Tip: You can change the font of the characters in the message through the Editor Font button in the Display Page of the Preferences Dialog Box.</p>

@INPUTTCL Tag

Syntax

`{@INPUTTCL script}`

Description

Executes a Tool Command Language (Tcl) script. Normally the script should be small and fast or the possibility of a system lockup may occur. The {@INPUTTCL} tag is replaced by the result of the script. If you are unfamiliar with Tcl, please refer to the TclReadme.txt file for more informaton on Tcl.

Examples

Example #1: This example uses the Tcl **clock** command to get the current time and format the output. If today's date is August 19, 2000, the following SpeedType code:

```
{@INPUTTCL clock format [clock seconds] -format "%m/%d/%y" }
```

will be replaced by:

08/19/00

Example #2: This example uses the {@INPUTDATE} tag to get a date from the user and a {@INPUTTCL} tag do some date calculations.

Your birth date: {@INPUTDATE(var_date) Enter your birth date}

Your age (in years) is: {@INPUTTCL

```
set date_string "{var_date}"
set date_seconds [clock scan $date_string];
set now_seconds [clock seconds];
set age_seconds [expr $now_seconds - $date_seconds];
set seconds_per_year [expr 365 * 24 * 60 * 60];
set age_years [expr $age_seconds/$seconds_per_year];
return $age_years;
}
```

Notes:

1. The presence of **(var_date)** in the {@INPUTDATE} tag tells SpeedType to replace all occurrences of **{var_date}** (note the curly braces) in the SpeedType text so the first line in the @INPUTTCL tag will set the date_string variable to the user input (note the double quotes around {var_date}" is important since {var_date} may contain strings. This is how you can pass user input into an @INPUTTCL script.
-

Example #3: Same as the previous example except that only the age is printed out and the result of the @INPUTDATE tag is not shown because the @INPUTDATE tag is embedded in an @REM tag. SpeedType never displays the contents of the @REM tag.

```
{@REM {@INPUTDATE(var_date) Enter your birth date} }
Your age (in years) is: {@INPUTTCL
  set date_string "{var_date}"
  set date_seconds [clock scan $date_string];
  set now_seconds [clock seconds];
  set age_seconds [expr $now_seconds - $date_seconds];
  set seconds_per_year [expr 365 * 24 * 60 * 60];
  set age_years [expr $age_seconds/$seconds_per_year];
  return $age_years;
}
```

Example #4: Use Ctrl+Shift+N as a keyboard shortcut to launch NOTEPAD using the Tcl **run** command.

Keyword: run notepad
 Shortcut: Ctrl+Shift+N
 Text to Type: {@INPUTTCL run c:/windows/notepad.exe }

Note: The backslashes in pathnames must be replaced by forward slashes. The **run** command is not part of the Tcl core library but is a command introduced by SpeedType to replace the standard **exec** command to overcome the inability of **exec** to launch console (MS-DOS) programs.

Example #5: It is possible to send output from an external program to SpeedType by using {@INPUTTCL} together with {@INPUTMSG} and {@INPUTFILE}. You first create a program using your favorite programming language then use {@INPUTTCL} to run that program. To pass data to SpeedType, your program should write the data to a text file and then use the {@INPUTFILE} tag to tell SpeedType read and process that text file. You use the {@INPUTMSG} tag to give instructions to the user and wait for the program to complete.

Here is an example of SpeedType keyword definition to insert the names of the files in the current directory into your word processor:

```
{@INPUTTCL run c:/tmp/test.bat}{@INPUTMSG Press Next to continue}{@INPUTFILE
c:\tmp\out.txt}
```

where C:\TMP\TEST.BAT is a batch file that contains the line:

```
DIR > C:\TMP\OUT.TXT
```

@KEY Tag

Syntax

{@KEY keycode count}

Description

Simulates a keystroke or keystroke combination represented by the shortcut keycode. ***count*** represents the number of times to simulate the keystroke. If ***count*** is omitted, SpeedType assumes a ***count*** of 1.

Example

Example #1: Simulate Shift+F1.

{@KEY Shift+F1}

Example #2: Simulate 3 consecutive left cursor keys.

{@KEY Left 3}

@KEYDOWN, @KEYUP Tags

Syntax

{@KEYDOWN keycode}
{@KEYUP keycode}

Description

Simulates a key press (@KEYDOWN) or key release (@KEYUP) of a shortcut keycode.

Warning: Every {@KEYDOWN} needs a matching {@KEYUP} or else a key may be left in a “stuck” position.

Examples

Example #1: Simulate pressing A followed by S while holding down the Ctrl key.

```
{@KEYDOWN Ctrl}as{@KEYUP Ctrl}
```

Example #2: Simulate Shift+F1

```
{@KEYDOWN Shift}{@KEYDOWN F1}{@KEYUP F1}{@KEYUP Shift}
```

See Also

{@KEY}

@LEFTBRACE, @RIGHTBRACE Tags

Syntax

{@LEFTBRACE}
{@RIGHTBRACE}

Description

{@LEFTBRACE}inserts the left brace character: '{'.

{@RIGHTBRACE}inserts the right brace character: '}'

These tags are useful if you need want SpeedType to type out strings that can be interpreted as tags such as {@KEY}.

Example

The SpeedType tag for simulating keystrokes is: {@LEFTBRACE}@KEY{@RIGHTBRACE}

@LONGDATE Tag

Syntax

{@LONGDATE}

Description

Inserts current date using the Windows Long Date format. The Long Date Format is specified in the Regional Settings of the Windows Control Panel.

Example

The current date is {@LONGDATE}.

See Also

{@SHORTDATE}

@LONGTIME Tag

Syntax

{@LONGTIME}

Description

Inserts current time using the Windows Long Time format. The Long Time format is specified in the Regional Settings of the Windows Control Panel.

Example

The current time is {@LONGTIME}.

See Also

{@SHORTTIME}

@NOSPACE Tag

Syntax

{@NOSPACE}

Description

Prevents a SPACE or ENTER from appearing after SpeedType expands the keyword. If you type a SpeedType keyword followed by a SPACE or ENTER in your word processor, SpeedType will expand the keyword and insert the SPACE or ENTER you just typed. If you don't want the SPACE or ENTER to appear, insert the {@NOSPACE} tag anywhere in the keyword definition. The presence of {@NOSPACE} has the equivalent effect as if you had typed a keyword followed by a TAB to expand the keyword immediately.

Example

Best Regards, John Smith{@NOSPACE}

@PAUSE Tag

Syntax

{@PAUSE *delayTime*}

Description

Inserts a Pause Between Simulated Keystrokes. SpeedType pauses for *at least **delayTime*** seconds whenever it encounters this tag. **delayTime** is a floating point number greater than zero and less than 10. A number greater than 10 will result in a pause of 10 seconds. You may omit **delayTime** in which case SpeedType will pause 1 second. Since Windows is not a real-time operating system, the actual pause will be at least, but not exactly, **delayTime** seconds.

Examples

Example #1: Insert a delay of 1 second before switching windows with the Alt+Tab command.

```
{@PAUSE}{@KEY Alt+Tab}
```

Example #2: Insert a delay of at least four and a half seconds between "johnsmith" and "mypassword":

```
johnsmith  
{@PAUSE 4.5}  
mypassword
```

@REM Tag

Syntax

{@REM *comment*}

Description

This tag is used to hold a comment and will not be typed.

Example

{@REM This is a comment}

@SHORTDATE Tag

Syntax

{@SHORTDATE}

Description

Inserts current date using the Windows Short Date format. The Short Date Format is specified in the Regional Settings of the Windows Control Panel.

Example

The current date is {@SHORTDATE}.

See Also

{@LONGDATE}

@SHORTTIME Tag

Syntax

{@SHORTTIME}

Description

Inserts current time using the Windows Short Time format. The Short Time format is specified in the Regional Settings of the Windows Control Panel.

Example

The current time is {@SHORTTIME}.

See Also

{@LONGTIME}

Frequently Asked Questions

Questions on Specifications

How many dictionary entries can SpeedType support?

The theoretical maximum number of entries in a single dictionary is 2 billion. However, the practical limit is much lower and depends on the amount of free memory available. Some people are using SpeedType with as much as 1,000,000 entries. The number of dictionary files is limited only by hard disk space.

What is the maximum number of characters that can be associated with a keyword?

32,000 characters total. You cannot get around this limit; the text loaded by the @INPUTFILE tag counts toward this limit. This is a designed limitation to conserve memory; please contact OfficeSoft if you need to transfer large amounts of text.

Questions on SpeedType in General

What is SpeedType?

SpeedType is a text storage and transfer utility designed to work concurrently with other Windows applications. SpeedType allows you to represent frequently used words, phrases and keystrokes with a much shorter command or keyword. Instead of typing the word or phrase, you type the keyword followed by a punctuation mark and SpeedType will insert the text directly into the target application. With SpeedType, you can also define shortcut keys (for example, Ctrl+Alt+C) to quickly play back pre-defined text or keyboard macros. SpeedType is not limited to transferring static text, you can embed special fields ("tags") such as input fields, pick lists and date fields that allow you to dynamically change the text to be transferred.

How does SpeedType work?

You start SpeedType as you would any Windows application. SpeedType waits in the background until you need it. You start your word processor and begin typing normally. SpeedType will automatically replace keywords as you type. If you need to bring up SpeedType, you can simply press a pre-defined hot key (normally F10 unless you changed it) and SpeedType pops up and takes control. You can then specify the text you want SpeedType to type for you by entering a keyword or using the mouse to select the text from a list. If you wish, you may edit the text before SpeedType types it into your word processor.

What's the difference between SpeedType and my word processor's macros?

SpeedType and your word processor's macros have the same purpose--to reduce the number of keystrokes you need to type commonly used words. SpeedType has the advantage that it is not tied to a single word processor--you can use it with just about every Windows word processor, text editor, and even with text edit boxes within dialog boxes. SpeedType is designed to be much easier to use than the macro abilities of most word processors (which usually requires programming); much work has gone into designing a user interface that is readily usable by both touch typists and "hunt-and-peck" typists.

Can SpeedType really work with almost all Windows GUI applications?

SpeedType uses the Windows hooks mechanism to monitor and insert characters into the Windows keyboard message queue. Virtually all Windows GUI (Graphical User Interface) applications use the standard Windows keyboard message queue and SpeedType should work well with these applications.

Will SpeedType work with Windows 2000 and earlier?

SpeedType 10 is designed to run under Windows XP, Vista and Server 2003. SpeedType 10 may work with Windows 2000 and earlier but this has not been fully tested. Please contact tech support if you need a version of SpeedType that works on older versions of Windows.

Does SpeedType work with DOS programs?

There is a third party utility called TameDOS (<http://www.tamedos.com>) that may make SpeedType work with DOS programs.

So what applications are incompatible with SpeedType?

SpeedType may not work correctly with:

- DOS, System Console and other "text only" windows.
- Applications with built-in abbreviation expansion (such as the Microsoft Word AutoCorrect wizard). If you are using SpeedType with MS Word, be sure to disable the AutoCorrect wizard.
- Applications (such as some terminal emulators) that do not understand the BACKSPACE key; for such applications, you can still use the SpeedType hot key to insert text--press F10 to bring up SpeedType, select your keyword then press the Type It button to insert the text.
- Applications (such as anti-spyware, spell checkers and clipboard utilities) that monitor your keystrokes.

Questions on Running SpeedType

Is it possible to run SpeedType automatically whenever I start Windows?

Yes. Place the SpeedType program icon in the Windows Startup folder to have Windows automatically execute SpeedType whenever you start Windows. You should note, however, that SpeedType works best if it is loaded last. If you find that SpeedType does not work correctly when initialized from the Windows Startup folder you should launch SpeedType manually.

SpeedType doesn't work correctly with some of my applications!

Try changing the text transfer method. SpeedType has two methods for transferring text: by keyboard simulation and by simulating the clipboard paste operation. If you encounter a problem inserting text into an application, try changing the text transfer method in SpeedType's Preferences box. If you are using Microsoft Word, be sure to disable MS Word's AutoCorrect wizard by choosing AutoCorrect from MS Word's Tools menu and unchecking the "Replace Text as You Type" box.

Text playback is occurring very slowly.

Try unchecking the Verify Target Window Receives Keystrokes option in the Preferences box.

SpeedType is dropping keystrokes.

SpeedType is playing back text faster than the target window can process them. This frequently occurs if SpeedType plays back large amounts of text and your word processor needs to redisplay or scroll down the page. Slow down SpeedType by increasing the delay between keystrokes to something like "Pause 100 msec after every 40 keystrokes". You can also insert {@PAUSE} tags in your SpeedType text to simulate short pauses.

After SpeedType inserts the text, the text caret is positioned at the wrong place in the word processor!

Try changing the text transfer method in SpeedType's Preference box.

How do I change the date/time formats used by the LONGDATE, SHORTDATE, LONGTIME and SHORTTIME tags?

The @LONGDATE, @SHORTDATE, @LONGTIME and @SHORTTIME tags use the Windows date/time format; you can change the date/time format by clicking the Regional Settings icon in the Windows Control Panel. You can also specify your own format using Tcl's clock command within an @INPUTTCL tag.

How do I get rid of the message that asks for confirmation whenever SpeedType exits?

Go to the Display page in the Preferences box and check the "Do Not Confirm Exit" option.
Display Preferences

How can I stop SpeedType after it has started inserting text?

Press the ESC key or use the mouse to click on the SpeedType icon in the Windows System Tray.

Questions on Inserting Text with SpeedType

How does SpeedType's AutoReplace function work?

You enable AutoReplace by checking the AutoReplace box that appears above the Keyword box in SpeedType's Main Window. When AutoReplace is enabled, SpeedType watches your keystrokes as you type. When you type a recognized keyword the AutoReplace window pops up and displays the keyword and the associated text. If you type a SPACE, ENTER, TAB or a non-alphanumeric character, SpeedType will backspace over the keyword and insert the text associated with the keyword directly into your word processor.

How do I simulate bold or underline fonts with SpeedType?

You can simulate fonts with SpeedType if your target word processor supports keystroke commands to change fonts. For example, since Microsoft Word uses Ctrl+B to turn bold on/off you can use SpeedType's {@KEY Ctrl+B} tag to turn bold on/off.

How do I tell SpeedType to automatically insert the closing parenthesis whenever I type the opening parenthesis?

To do this define the following entry:

Keyword: (
Text to Type: (){@KEY Left}

Now whenever you type a left parenthesis, SpeedType will automatically insert the left and right parentheses and simulate a left arrow key to place the caret at the proper position between the parentheses.

How can I define prefixes and suffixes?

SpeedType will replace keywords when you type a non-alphanumeric character. This means that you can define a prefix by simply ending the keyword with a punctuation mark. Suffixes can be defined with keywords that begin with a punctuation mark. Here is an example:

Keyword: **m;**
Text to Type: **micro**

Keyword: **pc**
Text to Type: **computer**

Keyword: **;z**
Text to Type: **ization**

Now if you type **m;pc;z** , SpeedType will expand it to **microcomputerization** .

Do I have to memorize keywords to use SpeedType effectively?

If you have difficulty remembering keywords (and who doesn't!), SpeedType has an AutoComplete function that finds the closest keyword. Whenever you type two or more commas after a word in your word processor, SpeedType will find the closest keyword that

begins with the word you had typed. For example if your name is "George Washington", you can add the following entry into your dictionary:

Keyword: **george**
Text to Type: **George Washington**

Now if you type **g,,** ("g" followed by two commas), SpeedType will match this to the closest keyword starting with "g", which is the **george** keyword (assuming you have no other keyword starting with "g"). Note that the same result will be true if you had typed **ge,,**, **geo,,**, or even **george,,**.

SpeedType doesn't seem to recognize keywords with embedded punctuation marks such as "don;t".

SpeedType normally treats non-alphanumeric characters as word separators that mark the beginning or end of a word. So if you type **don;t**, SpeedType sees this as two words ("don" and "t") separated by a semi-colon. However there is a way to get around this. SpeedType will treat the semi-colon as part of the keyword rather than a word separator if you define the following entry:

Keyword: **don;**
Text to Type: **don;**

So if you want SpeedType to replace **don;t** with **don't** you should define two entries:

Keyword: **don;t**
Text to Type: **don't**

Keyword: **don;**
Text to Type: **don;**

Similarly, to have SpeedType replace the word **we;re** with **we're**, you will need three entries:

Keyword: **we;re**
Text to Type: **we're**

Keyword: **we;**
Text to Type: **we;**

Keyword: **we;r**
Text to Type: **we;r**

If you want to use SpeedType to automatically correct spelling errors where a semi-colon is typed instead of an apostrophe (such as don;t, can;t, you;re, we;ve, I;ll, etc.), you could simply define the following keywords:

Keyword: **;t**
Text to Type: **'t**

Keyword: **;re**

Text to Type: **'re**

Keyword: **;ve**

Text to Type: **'ve**

Keyword: **;ll**

Text to Type: **'ll**

Questions on Managing Dictionaries

Can SpeedType use two dictionaries at the same time?

Yes, by linking dictionaries together.

How can I convert another file format into the SpeedType file format?

The SHCNV.EXE utility can convert certain ASCII text, PRD, Smartype, Abbreviate! text files and Microsoft Word AutoCorrect entries into the SpeedType format.

How do I print the contents of a dictionary?

You can print the contents of a dictionary to a text file by choosing "Print to File" from the File Menu.

Is there a way to conveniently add text to my dictionary?

If AutoReplace is enabled, you can quickly add a single word to your dictionary by pressing the Alt+Ins key immediately after typing a word in your word processor. To add a second form of the word you just added, press Alt+Ins again (if nothing happens, press Alt+Ins one more time).

Alternatively, you can use your mouse to select a block of text in your word processor and then press Ctrl+Ins twice to add the block of text to the active dictionary (this works only if your word processor uses the Ctrl+Ins key to copy text to the clipboard).

How do I copy or transfer a dictionary entry from one dictionary to another dictionary?

Open both dictionaries and choose Copy from the Dictionary menu to copy a dictionary entry into the clipboard. You can then switch to the other dictionary and choose Paste from the Dictionary menu to insert the entry.

You can move a block of entries at once by choosing an entry then, while holding down the Shift key, clicking on another entry. All the entries between the two entries should now be selected and you can copy the block by choosing Copy from the Dictionary menu. You can then switch to another dictionary and choose Paste from the Dictionary menu to insert the block.

How do I append the contents of an entire dictionary into another dictionary?

Choose Run File Converter from the File menu to merge two dictionaries.

How do I prevent others from copying or accessing my dictionary?

You can copy protect your file by choosing Protect from the Dictionary menu and entering the authorized person's License ID.

Questions on Using SpeedType with Microsoft Word

I get an extra space when expanding abbreviations in Microsoft Word.

Try turning off AutoCorrect (see next question). If that doesn't work, if you set SpeedType to use the clipboard to transfer text, you should be aware that, by default, MS Word adds extra spaces to text inserted through the clipboard. There are two ways to get around this:

From MS Word's **Tools** menu, choose **Options**, click on the **Edit** tab and uncheck the **Smart Cut and Paste** check box.

- OR -

From SpeedType's **File** menu, choose **Preferences** and select **Simulate Keystrokes** as the text transfer method.

Can I use SpeedType together with Microsoft Word's AutoCorrect Wizard?

We recommend you turn off MS Word's AutoCorrect Wizard while using SpeedType. If you leave it on, the AutoCorrect Wizard may try to expand the text SpeedType inserts which may produce unexpected results. You can disable Word's AutoCorrect Wizard as follows:

1. Open Microsoft Word.
2. From the **Tools** menu, choose **AutoCorrect**.
3. Unselect the **Replace Text As You Type** check box. (You can leave the other options, such as Correct Two Initial Capitals, enabled.)
4. Choose **OK** to apply the changes.

What's the difference between SpeedType and Microsoft Word's AutoCorrect wizard?

SpeedType has the following advantages over MS Word's AutoCorrect wizard:

1. SpeedType works with almost all Windows applications including dialog boxes and forms.
2. You can organize your keywords into separate dictionaries with SpeedType.
3. SpeedType has better support for suffixes and prefixes.
4. You can insert keystroke macros, input fields and variables in SpeedType's text.
5. SpeedType stores its dictionary in files; if you want two PC's to use the same dictionary, you simply copy the file from one PC to the other PC or can even share it over a network. MS Word stores the AutoCorrect entries in system files; to transfer your AutoCorrect entries to another PC, you may have to write a macro or ask someone to help you since the documentation (at least as of Word Version 2003) doesn't clearly tell you how to do it (and for a good reason: it isn't easy!).
6. SpeedType supports automatic keyword completion if you type two or more commas after a word.

How can I transfer my MS Word AutoCorrect entries into SpeedType?

The SHCNV.EXE utility can do this for you.

The Ctrl+Space keystroke doesn't seem to work.

The Ctrl+Space key is an MS Word command to revert text to the normal font. However, since SpeedType intercepts the Ctrl+Space key to insert a space without expanding a keyword, the Ctrl+Space key is not normally available to MS Word. To get around this problem, you can either disable SpeedType's use of Ctrl+Space in the Preferences box or you can *remap* Ctrl+Space to another keystroke by creating a SpeedType dictionary entry with the following parameters:

Keyword: Use_Any_Name_You_Want
Shortcut: Ctrl+Alt+Space
Text to Type: {@KEY Ctrl+Space}

Now whenever you press Ctrl+Alt+Space, SpeedType sends Ctrl+Space to MS Word.

Trailing spaces at the end of inserted text are not being transferred.

If you set SpeedType to use the clipboard to transfer text, you should be aware that, by default, MS Word removes trailing spaces from text inserted through the clipboard. There are three ways to get around this:

From MS Word's Tools menu, choose Options, click on the Edit tab and uncheck the Smart Cut and Paste check box.

- OR -

From SpeedType's File menu, choose Preferences and select Simulate Keystrokes as the text transfer method.

- OR -

Use the {@KEY Space} tag to simulate trailing spaces in SpeedType's text to type.

Troubleshooting and Technical Support

Technical Support

To get technical support, contact your SpeedType representative listed in SpeedType's About Box.

A list of common problems and solutions are kept in the SpeedType Web Site. Before getting technical support, please check the SpeedType Web Site to see if your problem is addressed there.

Licensed users always get priority for technical support; if you are a licensed user please be sure to include your Registration ID (USER ID and LICENSE ID) obtained by clicking the Copy button found in SpeedType's About Box.

Compatibility Issues

Unresponsive Keyboard

To fix this, bring up SpeedType by using your mouse to click on the SpeedType tray icon. Click the Hide button to minimize SpeedType. This should reset your keyboard.

Playback Problems

If you encounter problems inserting text into an application, try selecting either Simulate Clipboard Paste or Simulate Keystrokes in the Preferences box.

Dropped Characters

By default, SpeedType plays back text at full speed. Some large applications (such as Microsoft Word) on slower PC's may not be able to keep up with SpeedType and may drop some characters. To get around this problem you can set SpeedType to pause X milliseconds after every N keystrokes in the Preferences dialog box.

Compatibility With Other Applications

SpeedType works with most Windows application that uses the normal Windows keyboard messages as input. Applications that takes its input directly from the keyboard hardware interrupt (such as DOS applications) will not work with SpeedType. SpeedType uses the Windows hooks mechanism to insert characters into the keyboard message queue. SpeedType may be incompatible with other macro applications that employ keyboard hooks to translate or play back keyboard characters. If you find that SpeedType does not work with a certain application, you can usually solve the problem by loading SpeedType after the other application.

Security Issues

SpeedType may not work with applications that use the Windows NT security functions to prevent other applications (such as SpeedType) from monitoring their keyboard input.

Using the Clipboard to Transfer Text

If the Simulate Clipboard Paste box is checked in the Preferences dialog box, SpeedType uses the Windows Clipboard to transfer text if and only if the text to be transferred does not contain {@KEY} or {@PAUSE} tags. For text to be transferred through the clipboard, the application receiving the text must recognize the standard Shift+Insert key command to paste text from the Clipboard. Some older applications do not recognize Shift+Insert as the paste command; you can change the paste command in the Preferences dialog box.

The Backspace Key

AutoReplace works only with applications that process the Backspace key. If an application does not recognize the Backspace key (such as some terminal emulators), you can still use SpeedType to insert characters by first pressing the hot key then typing the keyword.

Stuck Keys

There may be instances while you type that you get strange results like beeps while you type, menus popping up when you type something or capitalized letters appearing even though the shift or CAPS LOCK keys aren't pressed. The reason is that SpeedType is simulating keystrokes too fast and your word processor missed some keystroke commands from SpeedType so Windows thinks that the Ctrl, Alt, or Shift keys are being pressed when they are really not.

To get Windows back in sync, press and release the Ctrl, Alt and Shift keys on the **right** side of your keyboard. Bringing up SpeedType by clicking on its icon in the system tray then clicking the HIDE button will also put the keyboard back in sync.

To avoid this problem, you will need to slow down SpeedType:

1. Choose Preferences from SpeedType's File menu.
2. Set the Pause setting to "Pause 30 msec every 1 keystrokes".
3. Make sure the Verify Target Window Receives Keystrokes box is checked.

If you are using SpeedType to simulate keystrokes to open a new window or switch to a different window you should insert an {@PAUSE} tag immediately before the keystroke command to open or switch to a new window. This gives Windows time to process the keystrokes correctly.

Common Problems

SpeedType does not work at all; it doesn't pop up when I press the hot key and abbreviations are not recognized.

Cause: SpeedType is not tracking your keystrokes or another application may be interfering with SpeedType.

Possible Solutions:

- Check if SpeedType is running: See if there is a SpeedType icon (the lightning bolt icon) in the SYSTEM TRAY (the little window on the lower right corner of your screen that shows the time). If you don't see the SpeedType icon, SpeedType is not running and you will need to launch SpeedType from Windows (see Starting SpeedType).
- Check if AutoReplace is enabled: If there is a SpeedType icon in the system tray, click on it with your left mouse button. This should bring up the SpeedType main window. Make sure the AutoReplace box (upper right corner of the SpeedType window) is **checked**; SpeedType will not replace abbreviations if this box is not checked.
- Make sure SpeedType is tracking your keystrokes: Click on the SpeedType icon in the system tray to bring up the SpeedType main window. Click the **Hide** button in the SpeedType window to make the SpeedType window disappear; SpeedType should now be tracking your keystrokes. You normally need to click the Hide button to ensure that SpeedType tracks your keystrokes.
- Make sure SpeedType is compatible with your word processor: Close all applications and see if SpeedType works with the Windows NOTEPAD or WORDPAD. SpeedType works best if it is loaded after all other applications.
- Make sure there is no other application that monitors your keystrokes: SpeedType may not work correctly with applications that also monitor your keystrokes. Examples are: spell checkers, other word expanders, mouse utilities (e.g. Microsoft PowerToys), and programmable keyboards/mice. If you have such a program, try disabling it and see if SpeedType works.

SpeedType's Suggestion Window is useful to quickly determine if SpeedType is working or not:

1. Click the SpeedType icon in the system tray to bring up SpeedType.
2. Choose Preferences from SpeedType's File menu.
3. Select the 4. AutoReplace tab.
4. Select the Show Suggestion Window check box
5. Click OK. You should now see the Suggestion Window floating on your screen (you can move and resize the window). Now whenever you type something, you should see the most recent word displayed in the Suggestion Window; this should help you determine if SpeedType is correctly tracking your keystrokes.

SpeedType is able to expand abbreviations but the text is not inserted correctly.

Cause: There may be an incompatibility problem.

Solution:

The common solutions are:

1. Slow down SpeedType. See the next question for how to do this.
2. Run SpeedType *last*. That is, run all your applications first then run SpeedType.
3. Change the Text Transfer method. SpeedType has two methods for transferring text: by keyboard simulation and by simulating the clipboard paste operation. If you encounter a problem inserting text into an application, try changing the text transfer method in SpeedType's Preferences box.

When SpeedType plays back text, the first character of the keyword is not erased. Keystrokes or characters are also sometimes lost after SpeedType expands a keyword.

Cause: Your word processor cannot process the keystrokes fast enough.

Solution: Choose Preferences from the File menu and increase the delay between keystrokes to something like "Pause 30 msec every 1 keystrokes". This will slow down SpeedType. It is also recommended that you do not enable the Suggestion Window or Hint window on older computers that cannot keep up with your typing speed.

I get extra spaces in Microsoft Word.

Cause: MS Word adds an extra space if you set SpeedType to Simulate Clipboard Paste as the text transfer method, or Word's AutoCorrect function is interfering with SpeedType.

Solution: See the section on Using SpeedType with Microsoft Word.

Playback is extremely slow.

Cause: Your system may be too busy.

Solution: Try increasing SpeedType's speed: Choose Preferences from the File menu and increase the delay between keystrokes to something like "Pause 50 msec every 40 keystrokes". This will make SpeedType run at full speed and pause after every 40 simulated characters. The pause is necessary to allow your word processor to catch up.

You may also want to check your hard disk for errors:

1. In your Windows desktop, open the **My Computers** icon.
2. Click the right mouse button over the **C:** hard drive icon.
3. Choose **Properties**
4. Choose the **Tools** tab.
5. Click the **Check Now** button to check the hard drive for errors.
6. Click the **Defragment Now** button to defragment your hard drive.

SpeedType does not play back all text; some keystrokes are being lost.

Cause: SpeedType is playing back text faster than the target window can process them.

Solution: This frequently occurs if SpeedType plays back large amounts of text and your word processor needs to redisplay or scroll down the page. Slow down SpeedType by increasing the delay between keystrokes to something like "Pause 30 msec after every 1 keystrokes". You can also insert {@PAUSE} tags in your SpeedType text to simulate short pauses.

SpeedType does not work with Microsoft Word

Cause: Possible conflict with Microsoft Word settings.

Solution: See the section on Using SpeedType with Microsoft Word.

SpeedType does not expand keywords all the time in spreadsheets such as Microsoft Excel.

Cause: Excel and most other spreadsheets create a new edit window after the first keystroke. This may confuse SpeedType.

Solution: Type F2 to enter the spreadsheet's edit mode before typing SpeedType's keyword. Or you can type a SPACE followed by SpeedType's keyword.

The keyboard does not respond to keystrokes.

Cause: SpeedType may have gotten out of sync with your word processor.

Solution: Bring up SpeedType's main window by clicking on the SpeedType icon in the Windows system tray. Click the Hide button to send SpeedType to the background. If your keyboard still doesn't work, shut down and restart SpeedType.

A GPF occurs when SpeedType inserts text.

Cause: Possible incompatibility with another application.

Solution: Try launching SpeedType after all other applications.

A GPF occurs after opening a large dictionary or adding/editing a keyword.

Cause: Windows has run out of resources.

Solution: Split the large dictionary into smaller files, shut down unneeded applications or get more memory for your computer.

Trailing spaces at the end of inserted text are not being transferred.

Cause: MS Word removes off trailing spaces from text transferred through the clipboard.

Solution: See the section on Using SpeedType with Microsoft Word.

SpeedType and Medrite

To make SpeedType work with Medrite XL you will need to disable the Medrite glossary:

An administrator on the system needs to launch the Medrite-XL Console program.

Click on Profiles | Transcriptionist and select the transcriptionist.
(Make sure the transcriptionist is currently **not running** the transcription program!)

In the profile window, click on the "Personal Info" tab.

Under the group "Chars to expand glossary", select "No Glossary".
Click on the "Update" button to apply the change.

SpeedType and Citrix

OfficeSoft has not officially tested SpeedType with Citrix but we do have customers who told us they use SpeedType on Citrix with no problems; here's what they told us (in their own words):

"To use SpeedType with a word processor on Citrix, you have to push out a Desktop session to the end users. You CANNOT use the Published Applications session because, if you do this, SpeedType and your word processor will be on two separate sessions and SpeedType therefore cannot communicate with the word processor on the other session. When you push the Desktop session to the end user, you are giving them a single session to run all their applications they need."

Please note that you must purchase a site license to cover all persons using SpeedType off the server.

SpeedType and Windows Server

What you will need to do is install and run SpeedType off the Server and not on the client PC.

1. Install SpeedType on your Windows Server machine.
2. On your client machine run SpeedType from the server.

Please note that you must purchase a site license to cover all persons using SpeedType off the server.

SpeedType 10.x Order Form

Order forms and instructions are available from the SpeedType Web Site @ www.speedtype.com and click on the Order Software option.

Editing the Dictionary

How to add entries to the dictionary.

How to change an entry.

How to remove an entry.

Dictionary Text Dialog Box

The Dictionary Text Dialog Box appears when you choose Add, Modify or Duplicate from the Dictionary menu. The Dictionary Text Dialog Box allows you to add or modify a dictionary entry. You can specify the keyword, description, text and shortcut key for a dictionary entry.

The Dictionary Text Dialog Box has the following fields:

Keyword Box

This box holds the keyword (abbreviation or short form; 1 to 32 characters in length) that represents this dictionary item.

Shortcut Button

Click this button to bring up the Select Shortcut Key dialog box.

Text To Type Box

This box holds the text to type (long form) as well as any embedded tags. To insert a tag, click the Tags button or click your right mouse button anywhere inside the Text To Type box. The text font can be changed with Editor Font button in the Preferences Dialog Box. Note that text font is for display purposes only and does not affect the way SpeedType plays back the text in your word processor.

<p>Tip: If you need to simulate bold face, underlining, supercripts, etc. in your word processor, click here for some examples.</p>
--

[Options]

Click [Options] to display a pop up menu of editor control options. Note that the options affect only the way you enter text in the Text to Type box; the options do not affect how SpeedType plays back the text. The menu items are:

Word Wrap

If checked, long lines in the Text To Type Box will wrap over to the next line.

[TAB] Key = Tab Character

If checked, pressing the TAB key will insert a tab character in the Text to Type box. If this option is not checked, pressing the TAB key will select the next control in the dialog box.

[ENTER] Key = New Line

If checked, pressing ENTER will insert a new line (i.e. a carriage return/line feed) in Text to Type box. If this option is not checked, pressing ENTER is equivalent to clicking on the OK button. If your word list consists primarily of one line text, you may want to consider unchecking this option to save time when defining new dictionary items.

Description Box

This box holds a description or comment of this dictionary entry. The description appears in the Dictionary list box displayed in the Main Window. If the description is blank, SpeedType will display the first 60 characters in the Text to Type box in the Dictionary list box. Note that the Description box is for display purposes only; do not confuse the Description box with the Text To Type box.

Tip: If you want to skip over the Description Box when you press TAB from the Text to Type box, use your mouse to right click on the Description box and uncheck the Enable Tabstop option.

Record Button

Use the Record button to tell SpeedType to record keystrokes and store them in the Text to Type box. After you click on the Record button, SpeedType displays on the upper right corner of your screen a small window containing a Stop and a Cancel button. Almost anything you *type* will be recorded by SpeedType. (Note that only keystrokes are recorded; mouse activities are **not** recorded. SpeedType currently does not support some keystroke combinations involving system keys such as the Print Screen, Scroll Lock, Pause and some combinations involving the Windows key; you may have to do some experimentation to see what works).

To **stop** the recording click on the Stop button (alternate method: clicking on the SpeedType system tray icon will also stop the recording). The recorded keystrokes will then be appended to the Text to Type field (click the UNDO button if you need to cancel).

The RECORD feature is especially useful in generating the correct {@KEY} sequences to automate navigating through menus and windows.

Important: If you modify the dictionary it is strongly recommended that you backup the dictionary files at regular intervals.

Select Shortcut Key Dialog Box

The Select Shortcut Key dialog box is used to define a shortcut code to represent a keystroke combination.

Ctrl, Alt, Shift Boxes

The group of checkboxes determines if the Ctrl, Alt, and/or Shift keys are to be combined with the key

Next Key Typed Button

When you click this button, SpeedType will automatically generate the correct shortcut code for you from the next keystroke you type in.

Clear Button

Click this button to clear a previously defined shortcut code.

Notes:

- The following keys cannot be defined as shortcut keys: NumLock, Print Scrn/Sys Req, Tab, and the Windows key on Microsoft Natural Keyboards.
- Some keys (such as the '/' key) appear on the regular keyboard and on the numeric keypad. To distinguish the keys that are located on the numeric keypad, the word "NumPad" will appear before the key name

Preferences Dialog Box

Choosing "Preferences" from the File menu brings up the Preferences Dialog Box. There are five tabs:

- Operation
- Display
- File Shortcuts
- AutoReplace
- Links

Operation Preferences

Choosing "Preferences" from the File menu brings up the Preferences Dialog Box. Click on the Operation tab to access Operation Preferences.

Hot Key Button

Click this button to define a new hot key.

Paste Key Button

Click this button to define the keystroke SpeedType will use to simulate a Clipboard paste. Most applications recognize either Shift+Insert or Ctrl+V as the clipboard paste command.

Pause

Use this option to add a delay (in milliseconds; 1000 msec = 1 second) after a specified number of keystrokes. This option is useful if you find that SpeedType is playing back text too fast for the target application to handle.

Verify Target Window Receives Keystroke

When this option is checked, SpeedType waits for a keystroke to be properly received by the target window before playing back the next keystroke; this prevents SpeedType from accidentally overwriting text in another window. The disadvantage is that, on some systems, this could result in very poor playback performance. Unchecking this box causes SpeedType to playback keystrokes at maximum speed without verifying if the keystrokes reach their intended target. If you experience lost or transposed keystrokes, use the Pause option above to slow down SpeedType.

Beep When Hot Key Pressed

When this option is checked, the PC speaker will beep whenever you hit the hot key or a shortcut key.

Beep When Typing Empty Text String

When this option is checked, the Windows Exclamation sound will be played when SpeedType has nothing to type (that is, when there is no text in the Text to Type box; this can occur if you enter a non-existent keyword and press the ENTER key). You can change the Exclamation sound through the Sound icon in the Windows Control Panel.

Beep After Text Transferred

When this option is checked, the PC speaker will beep when SpeedType has finished transferring the text to the word processor.

Simulate Clipboard Paste

When this option is checked, SpeedType uses the Clipboard to transfer the text that do not contain {@KEY} tags. The advantages of using the Clipboard to transfer text are: fast text transfers and support for extended characters and international (not United States) keyboards.

Simulate Keystrokes

When this option is checked, SpeedType tries to type the text by simulating keyboard input. The advantage of using keyboard simulation to transfer text is: that this method works with most Windows applications when typing standard ASCII characters. The disadvantages of using keyboard simulation to transfer text are slow text transfer with certain applications, the possibility that it may not work with certain applications when typing extended characters, and the possibility that it may not work with certain applications when using a non-U.S. keyboard.

Display Preferences

Choosing "Preferences" from the File menu brings up the Preferences Dialog Box. Click on the Display tab to access Display Preferences.

Editor Font Button

You can change the font of the characters in the Text to Type box and input dialog windows with this button.

Main Window Color Button

You can change SpeedType's Main Window color with this button.

Dictionary List Font Button

You can change the font of the characters in the Dictionary List box with this button.

Dictionary List Keyword Color Button

You can change the color of the characters in the Keyword column of the Dictionary List box with this button.

Suggestion Window Font Button

You can change the font of the characters in the Suggestion Window with this button.

Suggestion Window Color Button

You can change the Suggestion Window color with this button.

AutoSave

When this option is checked, SpeedType will automatically save any modifications you made when you either click the Hide button or close the dictionary. You would normally want to enable the AutoSave feature as it may prevent loss of data due to power outages or system crashes. If you do not enable this option, you must remember to choose Save from the File menu to save the file.

Do Not Confirm Exit

By default, when you select Exit from the File menu, SpeedType will display a dialog box and ask you to confirm if you really want to shut down SpeedType. To disable this feature, check the Do Not Confirm Exit option box.

Hide on Start Up

If checked (the default), the Main Window is automatically hidden when you start SpeedType. Uncheck this box if you wish the Main Window to be visible when SpeedType is started.

File Shortcuts Preferences

Choosing "Preferences" from the File menu brings up the Preferences Dialog Box. Click on the File Shortcuts tab to access File Shortcuts Preferences.

The list box displayed on this page shows the shortcuts linked to dictionary files or external programs. When you press one of the shortcuts in this list, SpeedType will open or launch the associated file. You add a new entry by clicking the Add button. Modify an existing entry by clicking the Edit button. Delete an existing entry by clicking the Remove button.

You can also use Windows Explorer to drag and drop files directly into the list box.

The contents of the list box also appears in the Shortcuts menu in the Main Windows. You can change the order of the list items by dragging an item with the left mouse button.

AutoReplace Preferences

Choosing "Preferences" from the File menu brings up the Preferences Dialog Box. Click on the AutoReplace tab to access AutoReplace Preferences.

AutoReplace Options

Enable AutoReplace

If this box is checked, AutoReplace will be enabled.

Enable Automatic Keyword Completion

When this option is checked, SpeedType will find the nearest keyword whenever you type two or more commas after a word.

Beep on Keyword

When this option is checked, SpeedType will beep the PC speaker whenever a recognized keyword is detected.

Use Shift+Enter to expand keyword immediately

When this option is checked, typing Shift+Enter after a valid keyword will expand that keyword immediately; the word processor does not receive the Shift+Enter keystroke. Unselect this option if you want SpeedType to pass the Shift+Enter through to your application. NOTE: this option is included for compatibility with previous versions of SpeedType and may go away in the future; the preferred method to expand keywords immediately is to press the Tab key.

Use Ctrl+Space to insert a space without expanding keyword

When this option is checked, typing Ctrl+Space after a valid keyword will not expand that keyword; the word processor does not receive the Ctrl+Space keystroke. Unselect this option if you want SpeedType to pass the Ctrl+Space through to your application.

Use Alt+Ins to add current word to dictionary

When this option is checked, typing Alt+Ins after a word that is at least 3 characters long will add that word to the SpeedType dictionary; the word processor does not receive the Alt+Ins keystroke. Unselect this option if you want SpeedType to pass the Alt+Ins through to your application. Click on [Options] to change the prefix and/or suffix added to the keyword automatically created by SpeedType.

Remember Last Expanded Word

When this option is checked, pressing BACKSPACE after an expansion will place the last expanded word into SpeedType's keyboard buffer; this feature is useful if you need SpeedType to type out the first part of an abbreviation for you. For example, if you have the following entries:

<u>Keyword</u>	<u>Text to Type</u>
tp	the patient is a g
g1	male
g2	female

If you now type:

tp<SPACE><BACKSPACE>1<SPACE>

you will get:

the patient is a male

Note: This works only with simple long forms and the remembered word is restored only after you hit BACKSPACE after the expansion. Entries with @Tags (e.g. if you use the @KEYDOWN and @KEYUP commands to simulate a Ctrl or Shift key) may not be tracked correctly; if you plan on using this feature a lot, we recommend you turn on the Suggestion Window to view how SpeedType tracks your keyboard input.

Tip: If the SpeedType keyboard buffer gets messed up, press ESC to reset the buffer.

Support On-Screen Keyboards

When this option is checked, SpeedType will be able to expand abbreviations typed through onscreen (software) keyboards. When this option is not checked, clicking the mouse on a different window will reset SpeedType's keyboard tracker. If you don't plan on using onscreen keyboards, we suggest disabling (unchecking) the Support On-Screen Keyboards option to prevent unwanted expansions in the wrong window.

AutoReplace Suggestion Window

Show Hint Window Only If Keyword Detected

When this option is selected, SpeedType will display a small, yellow AutoReplace Window whenever a recognized keyword is detected. The AutoReplace Window is normally positioned below the active window.

Show Suggestion Window

When this option is selected, SpeedType will always display a Suggestion Window . You can move and resize the Suggestion Window to a convenient position on your screen. By default, the suggestion selection keys are F1 to F9; click on [Options] to change the suggestion selection keys.

Links Preferences

Choosing "Preferences" from the File menu brings up the Preferences Dialog Box. Click on the Links tab to access Links Preferences.

The list box displayed on this page contains dictionary files to be linked into the active dictionary. You add a new entry by clicking the Add button. Delete an existing entry by clicking the Remove button.

You can also use Windows Explorer to drag and drop files directly into the list box.

The order of the files in the list is significant; SpeedType always loads the dictionaries in the order shown with duplicate keywords being ignored. You can change the order of the list items by dragging an item with the left mouse button.

To enable linking, check the Enable Links box. If the Enable Links box is not checked, no linking will occur.

File Shortcut Dialog Box

Use this dialog box to associate a keystroke with a file.

Dictionary or Program Name Box

Specify the name of the file in this box. You can also use the Windows Explorer to drag and drop filenames into this box. If the file is program, you can also specify optional command line parameters after the program name. For example, "NOTEPAD.EXE C:\MYFILE.TXT" will run NotePad and command NotePad to open the file C:\MYFILE.TXT.

Shortcut Button

Click this button to define the shortcut key associated with the file. If the file is a SpeedType dictionary file, SpeedType will open the dictionary whenever you press the specified shortcut key. If the file is a program, SpeedType will launch the program whenever you press the specified shortcut key. while SpeedType is running in the background. The file shortcut keys are also recognized if SpeedType's Main Window is the active window.

Description Box

Specify a short description in this box. SpeedType displays this description in the Main Window's Shortcuts menu. If you do not enter a description, SpeedType will automatically generate one for you based on the filename you enter in the Dictionary or Program Name box above.

Text To Type Dialog Box

The Text To Type Dialog Box is displayed during playback after you enter all the input fields. If you wish, you can use the hot key and shortcut keys to insert additional text into the Text To Type Dialog Box.

Type It Button

Clicking this button or pressing the Enter key will transfer the text to word processor if there are no {@INPUT} tags found in the text. If there are {@INPUT} tags present, SpeedType will ask for input until all the {@INPUT} tags are filled.

Print Button

Clicking this button will send the text to the printer if there are no {@INPUT} tags found in the text. If there are {@INPUT} tags present, SpeedType will ask for input until all the {@INPUT} tags are filled.

Undo Button

Click this button to undo the last edit action.

Restart Button

Click this button to discard all changes and restart from the beginning.

Cancel Button

Click this button to abort and return to your word processor.

Notes:

- To enter the tab character, press Ctrl+Tab.
- To enter a new line, press Ctrl+Enter
- You can change the text font with the Preferences Dialog Box.

Text To Type Preview

SpeedType displays the Text To Type Preview box when you click on the Preview button from one of the input dialog boxes. (SpeedType displays an input dialog box whenever it encounters a User Input tag like {@INPUT}). The Text To Type Preview box shows you the current state of the text that will be typed. Unfilled input fields are represented by the string "(@INPUT FIELD #n)".

Save Session

Click this button to save the current input session to a file. This is useful if you cannot complete a session and need to finish it at a later time.

Restore Session

Click this button to restore a previously saved input session. The current session will be replaced by the restored session.

Customizing How Sessions are Save/Restored

By default, sessions are saved/restored to a file on your hard disk. You can change the way sessions are saved/restored (e.g. encrypt it first before saving) by creating Tcl scripts.

To change the way sessions are saved, create a Tcl proc called `sh_OnSaveSession` of the form:

```
proc sh_OnSaveSession {data} {  
    # $data is the session data.  
    # Put your code to save $data here ...  
    return "SH_CANCEL"; # returning string "SH_CANCEL" quits  
                        # the session immediately;  
                        # any other string returns to the  
                        # input session
```

To change the way sessions are restored, create a Tcl proc called `sh_OnRestoreSession`

```
proc sh_OnRestoreSession {} {  
    # code to read session data ...  
    return $data; # return the session data
```

Example

This sample code simply saves/restores the session data to a file. You can use this code as a starting point to write your own customized session save/restore functions. To use this sample code, copy it to your `SPEEDTYPE.TCL` file in the SpeedType folder and restart SpeedType (SpeedType always executes `SPEEDTYPE.TCL` on startup).

```

# This proc displays a "Save" dialog window and saves the
# session to the user specified file.
proc sh_OnSaveSession {sessionData} {
    # display Save As dialog box
    set filename [sh_input save "Save Session" -filter "SH Input Session (*.spi)|*.spi"];
    if {$filename == "SH_CANCEL"} {
        return "";
    }
    # append '.SPI' to filename if no extension was specified
    if {[file extension $filename] == ""} {
        set filename "${filename}.spi"
    }
    # Save the session date
    if [catch {open $filename w} fileID] {
        sh_input msg "" "Error in sh_OnSaveSession: Cannot open $filename";
        return "";
    }

    # save to file
    puts -nonewline $fileID $sessionData;
    close $fileID;
    return SH_CANCEL; # tells SpeedType to abort input session and return to word processor
}

# This proc displays an "Open" dialog window, reads the contents
# of the file and returns it to SpeedType.
proc sh_OnRestoreSession {} {
    # display Open dialog
    set filename [sh_input open "Restore Session" -filter "SH Input Session (*.spi)|*.spi"];
    if {$filename == "SH_CANCEL"} {
        return "";
    }
    # append '.SPI' to filename if no extension was specified
    if {[file extension $filename] == ""} {
        set filename "${filename}.spi"
    }
    # open session file
    if [catch {open $filename r} fileID] {
        sh_input msg "" "Error in sh_OnRestoreSession: Cannot open $filename";
        return "";
    }

    # read file
    set sessionData [read $fileID];
    close $fileID;
    return $sessionData;
}

```


Pick List Input Dialog Box

SpeedType displays the Pick List Input Dialog Box during playback whenever the current {@INPUT} tag contains pick list items. Select one or more items from the pick list by using the left mouse button or the space bar.

Incremental Search Box

When you type into this box, the pick list will highlight closest matching item. You can use the up and down arrow keys to scroll through pick list. Use the space bar to select/unselect the current item. To enter a space character, press Ctrl+Space or Shift+Space.

Columns Box

Use this box to control the maximum number of columns that can appear in the pick list.

Select All Button

Click this button to select all items.

Clear Button

Click this button to clear all selections.

Next Button

Click this button or press the Enter key to replace the {@INPUT} tag with the selected item(s) and proceed to the next @INPUT tag. If there is no other {@INPUT} tag, you will return to the Text To Type Dialog Box.

Back Button

Click this button to back up to previous {@INPUT} tag.

Restart Button

Click this button to restart from the first {@INPUT} tag.

Preview Button

Click this button to display the Text To Type Preview Box.

Cancel Button

Click this button to abort and return to your word processor.

Date Input Dialog Box

SpeedType displays the Date Input Dialog Box whenever an {@INPUTDATE} tag is encountered during playback.

Date Box

Enter the date in this box. You can use the +,- keys to increment or decrement the date. You can also click the button that appears to the right of the Date Box to bring up a calendar.

Select Date Style

Select the date format from the style options. The styles are based on the Windows Long Date Format and Short Date Format which you can change in the Regional Settings of the Windows Control Panel.

Next Button

Click this button or press the Enter key to replace the {@INPUTDATE} tag with the specified date and proceed to the next {@INPUT} tag. If there is no other {@INPUT} tag, you will return to the Text To Type Dialog Box.

Back Button

Click this button to back up to previous {@INPUT} tag.

Restart Button

Click this button to restart from the first {@INPUT} tag.

Preview Button

Click this button to display the Text To Type Preview Box.

Cancel Button

Click this button to abort and return to your word processor.

Free Form Input Dialog Box

SpeedType displays the Free Form Input Dialog Box during playback whenever an {@INPUT} tag is encountered. Enter the desired information into the text box. Use Ctrl+Enter to insert a new line and Ctrl+Tab to insert tabs.

Next Button

Click this button or press the Enter key to replace the {@INPUT} tag with the specified text and proceed to the next {@INPUT} tag. If there is no other {@INPUT} tag, you will return to the Text To Type Dialog Box.

Back Button

Click this button to back up to previous {@INPUT} tag.

Restart Button

Click this button to restart from the first {@INPUT} tag.

Preview Button

Click this button to display the Text To Type Preview Box.

Cancel Button

Click this button to abort and return to your word processor.

Dictionary Info Box

Choose Info from the Dictionary Menu to display the Dictionary Info Box. The Dictionary Info Box displays information concerning the dictionary.

Tcl Script Dialog Box

Tcl Script Box

Enter a Tcl script in this box. If you are not familiar with Tcl, please consult the TclReadme.txt file for more information on this powerful programming language.

Eval Script Button

Click this button to evaluate the script in the Tcl Script Box. The result will be displayed in the box directly below this button.

See Also: [Tcl Extension Commands](#)

SpeedType Web Site

For sales or technical assistance, please contact your authorized SpeedType representative directly. Your authorized SpeedType representative is displayed in SpeedType's About box (select About from SpeedType's Help menu). www.speedtype.com

Define @INPUT Tag Dialog Box

Use this dialog box to define {@INPUT} tags. SpeedType will pause to accept input whenever it encounters an {@INPUT} tag.

Prompt Box

Use this box to specify the prompt that will be displayed to the user.

Variable Name Box

Use this box to define a replaceable variable. You can leave this box blank if you do not want to define a replaceable variable. For example, if you enter "color" for the Variable Name, SpeedType will replace all instances of the string "{color}" in the Text to Type box with the user input.

Optional Pick List Box

Use this box to enter pick list items. Each item must be entered on a separate line. If a **{@REM caption}** tag is present in a pick list item, the **caption** will be displayed in the pick list instead of the entire pick list item string.

Allow Multiple Selections Check Box

If this box is checked, the user is allowed to select one or more items from the pick list. If this box is not checked, the user can select only one item.

AutoReplace Hint Window

The first line in the AutoReplace Window shows the current word you are typing. If the word is a recognized keyword, the keyword's description is displayed in the second line.

SHCNV - SpeedType File Converter Utility

Run the SHCNV utility by choosing “Run File Converter” from SpeedType’s File menu.

SHCNV is a utility to convert MS Word AutoCorrect entries, PRD+, Abbreviate!, Smartype, formatted ASCII text files and older SpeedType (v4.x and earlier) dictionaries to the SpeedType 10.x dictionary format. Files created by SpeedType 5.x through 9.x do not need to be converted to SpeedType 10.x. This utility can also be used to merge two SpeedType 10.x dictionaries.

Remove (Cut) Command

Choosing "Remove (Cut)" from the Dictionary menu will delete the selected item(s) from the dictionary. The deleted items are placed in the clipboard so you can restore them by choosing Paste from the Dictionary menu.

Left Click

Point the mouse arrow to the item of interest then click the left mouse button.

Shift+Left Click

Point the mouse arrow to the item of interest then, while pressing down the Shift key, click the left mouse button.

Alt+Ins Options

Clicking on the [Options] Link next to "Use Alt+Ins to add current word to dictionary" in the "4. AutoReplace" tab of the Preferences window brings up the Alt+Ins Options dialog box.

When Alt+Ins is enabled, pressing Alt+Ins will add the last word you typed to the active SpeedType dictionary. You can specify an optional prefix or suffix to the keyword created by SpeedType.

Keyword Prefix box

Enter the string you want added to the beginning of the keyword created by SpeedType. By default, SpeedType uses a blank string for the prefix

Keyword Suffix box

Enter the string you want added to the end of the keyword created by SpeedType. By default this is " ." (a space and a period).

Suggestion Window Options

Clicking on the [Options] Link next to "Show Suggestion Window" in the "4. AutoReplace" tab of the Preferences window brings up the Suggestion Window Options dialog box.

Suggestion Shortcut

By default, F1 to F9 will select a word from the Suggestion Window. You can add a Ctrl, Alt, and/or Shift modifier to the function keys by checking the appropriate boxes.

Index

@AUTONUMBER	98
@DELETELINE Tag.....	96
@GROUP	98
@GROUPBOLD	98, 99, 100
@GROUPPRINT.....	98, 100
@INPUT Tag.....	97, 98
@INPUT Tag using Pick Lists.....	98
@INPUTDATE Tag.....	101
@INPUTFILE Tag.....	102
@INPUTMSG	103
@INPUTTCL Tag.....	104
@KEY Tag.....	106
@KEYDOWN Tag.....	107
@KEYUP Tag	107
@LEFTBRACE Tag.....	108
@LONGDATE Tag.....	109
@LONGTIME Tag.....	110
@NOSPACE Tag	111
@PAUSE Tag	112
@REM Tag	113
@RIGHTBRACE Tag.....	108
@SEP.....	98
@SHORTDATE Tag	114
@SHORTTIME Tag	115
@SINGLE.....	98, 99

{@INPUT}.....	159
{@INPUTDATE}.....	101
{@KEY}.....	106
{@LEFTBRACE}.....	108
{@LONGDATE}.....	109
{@LONGTIME}.....	110
{@REM}	113
{@RIGHTBRACE}.....	108
{@SHORTDATE}.....	114
{@SHORTTIME}	115

A

Aborting Playback.....	49
Accessing SpeedType.....	53
Add Delay Between Keystrokes.....	142

Adding a New Entry	137
Adding New Entries to the Dictionary	41
Alt Key.....	70
Alt+Ins key	41
Alt+Tab Key.....	70
ASCII codes	69
AutoComplete	62, 121
AutoCorrect	161
Automatic Keyword Completion	62, 121
AutoReplace	59, 60, 121
AutoReplace Preferences	146
AutoReplace Suggestion Window	63
AutoSave.....	144

B

Background.....	48
Background Color	144
Backing Up Your Dictionaries	50

C

Caps Lock	70
Changing a Dictionary Entry	43
CHARMAP	69
Citrix.....	134
Clipboard	142
Color	
keyword column	144
Comments	113
Common Problems.....	130
Compatibility Issues.....	128
Configuration files	71
Copy Command	45
Copy Protection	67
Copyright	11
Ctrl Key	70
Ctrl+Ins key	41
Ctrl+V.....	142
Custom Entries	156
Cut Command.....	45

D

Dates.....	101, 109, 114
Define @INPUT Tag Dialog Box	159
Delay.....	142
Demo Using the @INPUTTCL Tag	30
Demo Using SpeedType.....	23
Demo Using SpeedType to Correct Spelling Errors	27
Demo Files	25

Demo with Borland Delphi	28
Dictionary	
add new entry.....	137
add new entry.....	41
modify entry	137
modify entry	43
remove entry	137
remove entry	44
Dictionary ID	156
Dictionary Info Box	156
Dictionary Text Dialog Box	138
Display Preferences	144
Dropped Characters	128
Duplicate.....	42
Duplicating an Entry	42
E	
Editing the Dictionary	137
Email addresses	11
E-mail addresses.....	11
Expansion	
preventing.....	72
preventing	59
F	
File conversion.....	161
File Shortcuts	90, 145
File Shortcuts Preferences.....	145
Fonts	144
H	
Hide	48
Hot Key	90, 142
How to Simulate Underlined or Bold Text.....	68
I	
Importing files	161
Incompatibilities	128
Input Session	
saving and restoring.....	151
Ins key.....	41
Inserting ASCII Codes.....	69
Introduction.....	33
K	
Keyboard Simulation	142
Keystroke Delay	142
Keyword Shortcuts	90

L

License File	34
Licensing	16
Licensing Fees.....	17
Linking Dictionaries	65
Links Preferences.....	148

M

Main Window	37
Managing Dictionaries.....	123
Manufacturer ID	156
Meditech	133
Medrite.....	133
Microsoft Word	124
Modifying a Dictionary Entry.....	43, 137
Modifying the Text To Type.....	55
Moving Entries to Another Dictionary.....	45

N

Network Sharing.....	71
Num Lock.....	70

O

On Running SpeedType	120
On SpeedType in General.....	118
On Using SpeedType with Microsoft Word.....	124
Opening a Dictionary	40
Operation Preferences	142
Options	141, 142
Order Form	18

P

Passwords.....	16
Paste Command	45
Paste Key	142
Pause	142
Pause/Break Key.....	70
Pick Lists	98
Playback Speed.....	128, 142
PRD	161
Preferences	
AutoReplace.....	146, 147
Display.....	144
File Shortcuts	145
Operation.....	142
Preferences Dialog Box.....	141
Prefixes	121
Preventing keyword expansion	72

Print Screen Key	70
Problems.....	127, 128, 130
Program Shortcuts.....	145
Protecting Your Dictionaries.....	67

Q

Quick Tutorial	21
----------------------	----

R

Recording Keystrokes	138
Registration	16, 34, 35
Registration ID	16, 34, 35
Removing a Dictionary Entry	44, 137
Replay expansion.....	56
Restore Last	37, 56, 97
run Tcl command.....	76
Running SpeedType Pro in the Background	48

S

Sales support	11
Scroll Lock.....	70
Security Issues	128
Select Shortcut Key Dialog Box.....	140
Separator Characters.....	72
sh_file Tcl command.....	75
sh_input Tcl command	75
sh_list Tcl command	75
sh_screen Tcl command	82
sh_set Tcl command.....	75
sh_window Tcl command.....	75
SH7.LIC File	34
SHCNV.....	161
Shift Key.....	70
Shift+Ins.....	142
Shortcut Key Codes.....	92
Shortcut Keys.....	90
Shortcuts	140, 145
Specifications.....	117
Specifying the Text To Type.....	54
Speed Test	51
SpeedType for Windows Order Form.....	136
Starting SpeedType.....	36, 120
Statistics.....	51
Stuck Keys.....	129
Suffixes	121
Suggestion Window	63
Suggestion Window options.....	167

T

Tag Syntax.....	95
Tags.....	58
Tcl extension commands.....	75, 76, 77, 78, 80, 82, 85, 87
run.....	76
sh_file.....	77
sh_input.....	78, 79
sh_list.....	80
sh_screen.....	82, 83, 84
sh_set.....	85, 86
sh_window.....	87, 88
Tcl Scripts.....	73
Technical support.....	11
Technical Support.....	127
Terminology.....	34
Text Transfer Method.....	142
Time.....	110, 115
Tutorial.....	21
Typing Text Into Your Word Processor.....	56

U

Upgrade Order Form.....	19
Using SpeedType Efficiently.....	121
Using SpeedType on a Network.....	71

W

Warranty and License Agreement.....	14
Web Site.....	158
What's New.....	12
Windows Key.....	70
Windows Server.....	135
Windows Terminal Server.....	135